


## WMS 2,4 (25X5)R

Order No.: 0816294

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0816294>

Marker for thermal transfer printer, perforated 1-way, white, labeling field: 25 x 5 mm, can be used for 2.4 mm diameter, shrinkage ratio 3:1, 1 roll = 500 Marker at 25 mm

### Commercial data

|                          |                    |
|--------------------------|--------------------|
| EAN                      | 4046356108492      |
| Pack                     | 1 pcs.             |
| Customs tariff           | 39173200           |
| Weight/Piece             | 0.2753 KG          |
| Catalog page information | Page 554 (CL-2009) |

### Product notes

WEEE/RoHS-compliant since:  
06/07/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

|                                 |                             |
|---------------------------------|-----------------------------|
| Length (b)                      | 50 mm                       |
| Width (a)                       | 5 mm                        |
| Color                           | white                       |
| Base element material           | polyolefine                 |
| Wipe resistance                 | DIN EN 61010-1 (VDE 0411-1) |
| Ambient temperature (operation) | -55 °C ... 135 °C           |

|            |               |
|------------|---------------|
| Components | Silicone-free |
| Material   | Polyolefine   |

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;