

Contractor Tools

Corex Coax Stripper

For Cables with a Jacket diameter of 2.54 to 7.62 mm

Features:

Complete cable strip
Easy cutter adjustment
Simple rotary cutting motion
Colour coded cassettes
Pre-set strip lengths



603995-1	2 step cable stripper for Single crimp BNC connectors and RG 195 / 180 cable. 6 mm outer jacket strip length. Spare Cassete Red, PN 603996-1	Cables diameters from 3mm to 5mm
603995-2	2 step cable stripper for Comercial BNC connectors and RG 58 / 59 / 62 cable. 9.2 mm outer jacket strip length. Spare Cassete Blue, PN 603996-2	Cables diameters from 5mm to 6.5mm
603995-3	2 step cable stripper for UHF connectors and RG 6 & Beldon 8281. 12 mm outer jacket strip length. Spare Cassete Yellow, PN 603996-3	Cables diameters from 6.4mm to 7mm
603995-5	3 step cable stripper for Dual Crimp BNC connectors. 5.5 mm outer jacket & 5.5 mm dielectric strip lengths Spare Cassete Black PN 603996-4	
603995-6	3 step cable stripper for Dual Crimp Commercial BNC connectors and RG 174, 188 & 316 cable. 6.8 mm outer jacket & 2.5 mm dielectric strip lengths. Spare Cassete White PN 603996-5	Cables diameters from 2.5mm to 3mm
947489-1	3 step cable stripper for Commercial BNC connectors and RG 58 / 59 / 62 cable. 7.5 mm outer jacket & 3.5 mm dielectric strip lengths. Spare Cassete Brown PN 947490-1	Cables diameters from 5mm to 6.5mm

Coax Cable Stripper

1490490-1

Features:

3 Blades designed to strip RG 6, 58 and 59 cable in one step
Replaceable Blade Cartridges



Contractor Tools

Oden - Cable Stripper

[2-1579002-4 - Stripping Tool](#)

[7-1579005-4 - Spare Blade](#)

Features:

Outer Sheath Stripper suitable for most discrete, multicore and fibre optic cables

Fine adjustment is possible by a 10 position adjustment wheel

Replaceable Blade

Automatically adjusts to different cable diameters

Works on cable diameters up to 11mm

Ideal for Cat 5 & 6 cable



Cyclops - Cable Stripper

[1375317-1](#)

Features:

Outer Sheath Stripper

Automatically adjusts to different cable diameters

Works on cable diameters up to 11mm



Economy Wire Stripper & Cutter

[1490491-1](#)

Features:

Strips 0.2 - 6.0 mm² (24-10)

8 wire size adjustments



Contractor Tools

Tor - Rotary Cable Stripper

2-1579002-5 - Stripping Tool
Nato Stk No. 5110-99-5301839

7-1579005-5 - Spare Blade

Features:

Works on cables from 4.5 to 40 mm diameter
Circular + Straight Strip
Circular + Spiral Strip
Also window stripping possible
Replaceable blade
Lanyard fixing
Spare blade in handle cavity



Rotary Cable Stripper

606700-1

Features:

Works on cables up to 25 mm diameter
Circular + Straight Strip
Supplied with spare blade



Contractor Tools

Embla - Automatic Wire Stripper

For various insulation types

Features:

- Easily replaceable blade cassette
- V blade cassettes for difficult cable types
- Adjustable stripping length
- Ergonomic non-slip handles
- Built-in cutter, also with replaceable blades



2-1579002-1	for Standard PVC and includes: parallel blade Cassette 0.02 - 10 mm ² Nato Stk No. 5110-99-7009177 Spare Blade 7-1579005-1	0.02 - 10.0 (24-8)
2-1579002-2	for PTFE, THHN & TTHW and includes: V blade Cassette 0.02 - 4 mm ² Spare Blade 7-1579005-2	0.2 - 4.0 (24-12)
2-1579002-3	for most insulation types and includes: form blade Cassette 4 - 16 mm ² Spare Blade 7-1579005-3	4.0 - 16.0 (12-6)

Automatic Wire Stripper

734185-1

Features:

- Works on PVC, THHN and THHW cable 0.08 - 6.0 (28-10)
- Adjustable stripping length
- Ergonomic non-slip handles
- Built-in cutter



Die-cast Automatic Wire Stripper

1-1579002-2

Features:

- For PVC, THHN and THHW cable 0.08 - (28-10)
- Adjustable stripping length
- Non-slip handles
- Spare Blade 3-1579005-7



1-1579002-2	Complete tool with Blades	0.08 - 6.0 (28-10)
-------------	---------------------------	--------------------

Contractor Tools

Small Wire Cutters

1116571-1

Used primarily when lacing / installing the tool-less Mod Jack

Features:

Cuts wire flush
Spring loaded handles



KT 80 Cutting Tool

654061-1 - Ideal for cutting Ribbon Cable

Features:

Clean undistorted cut
Ribbon cable up to 64 conductors 0.5 mm² (20), 81.5 mm wide
Replaceable Blade and Anvil
Built-in Guide ensures square cut



Cable Tie Gun

734587-1 - for Cable Ties 2.2 - 4.8 mm and thickness up to 1.6 mm

Features:

Automatic cut-off
Adjustable tension setting



Contractor Tools

Non-impact Punch-down Tool

Tools without impact assist

Features:

Rubber palm grip
Blade Storage area in the side of the Tool
Accepts all Twist & Lock Blades



1583236-1	Tool with 110 Blade	0.08 - 0.34 (28-24)
1583236-2	Tool without blade	0.08 - 0.34 (28-24)
1583236-3	Tool with 066 Blade	0.08 - 0.34 (28-24)

Impact Punch-down Tool

Tools with impact assist

Features:

Rubber palm grip
Spare blade storage
Adjustable Hi / Low impact setting
Accepts all standard twist & Lock blades



1583608-1	Tool with 110 Blade	0.08 - 0.34 (28-24)
1583608-2	Tool without Blade	0.08 - 0.34 (28-24)
1583608-3	Tool with 066 Blade	0.08 - 0.34 (28-24)

Contractor Tools

Premium Impact Punch-down Tool

[Tools with impact assist](#)

Features:

Integral spot light
Non-slip cushioned grip
Pick hook and spudger
Spare blade storage
Adjustable impact force
Accepts all standard twist & Lock blades



1375308-1	Tool with 110 Blade 1375309-1 Spare 110 Blade	0.08 - 0.34 (28-24)
1375308-2	Tool without Blade	0.08 - 0.34 (28-24)
1375308-3	Tool with 066 Blade 1725872-1 Spare 066 Blade	0.08 - 0.34 (28-24)
1375308-4	Tool with 066 / 110 Blade 1375310-1 Spare 066 / 110 Blade	0.08 - 0.34 (28-24)

Mod Jack Tool

[Tool & Lacing Fixture combinations for rear entry cable Jacks.](#)

Features:

Built-in cable stripper
Terminates and cuts all conductors in one go
Very small breakouts can be achieved
Comes in a convenient Draw-string Pouch

Can be used on CAT 3 , 5 & 6 cable with:
Rear cable entry 110 SL Series Jacks
Rear cable entry AMP TWIST 6S SL Jacks



1673956-1	Lacing Fixture for rear cable entry 110 SL series Jacks. Use in Base Tool & Pouch 1725150-3	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-1	Base tool, Pouch & Lacing Fixture 1673956-1 for rear cable entry 110 SL series Jacks	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-3	Base tool & Pouch for rear cable entry AMP TWIST 6S SL series Jacks. NO Lacing Fixture required	0.2 (24) stranded 0.2-0.4 (24-22) solid

Contractor Tools

Professional Hand Tool

2-231652 - Base Tool without Die-set

Features:

Interchangeable Dies for all but 10 posn. plugs
Terminates both strain reliefs and inserts contacts in one motion
Ratchet mechanism ensures complete crimp cycle
Cuts, strips and terminates
Compatible with many other leading brand products
AMP plugs are UL approved when terminated using this tool



2-231652-1	Complete tool for Modular Plug connectors	8 Posn Long Body
2-231652-3	Complete tool for Modular Plug connectors	4 Posn Hand-set
2-231652-6	Complete tool for Modular Plug connectors Flat oval & Round - Solid and Stranded	6 Position off-set
2-231652-7	Complete tool for Modular Plug connectors Flat oval & Round - Solid or Stranded	6 posn Long Body
2-231652-8	Complete tool for Modular Plug connectors	4 & 6 Posn Line
3-231652	Complete tool for Modular Plug connectors CAT 5 Cable	8 Posn High Performance
853400-1	Die-set for Modular Plug connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn Long Body
853400-3	Die-set for Modular Plug connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 Posn Hand-set
853400-6	Die-set for Modular Plug connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn off-set
853400-7	Die-set for Modular Plug connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn Long Body
853400-8	Die-set for Modular Plug connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 & 6 Posn Line
1-853400	Die-set for Modular Plug connectors - CAT 5 cable Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn High Performance

Crimping Kit for Modular Plugs

Features:

Kit includes:
2-231652 Professional hand Tool
231662-1 Blade Replacement Kit
Screw Driver
Rhobust plastic Carry Case
Dies for specified Plug types



1-231666	Standard Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line
1-231666-3	Professional Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line 6 Posn. Long Body 4 Posn. Telephone Plug

Contractor Tools

Tone Generator

[1490531-1](#)

[1673606-1](#) - includes 1490531-1 plus Tone Tracer 1490533-1 in handy Two Pocket Pouch

Features:

Three built-in tones

Auto off

Separate talk battery for increased voltage and power for test sets

Modular Jack allows multiple cord sets to be used for different applications



Tone Tracer

[1490533-1](#)

[1673606-1](#) - includes 1490533-1 plus Tone Generator 1490531-1 in handy Two Pocket Pouch

Features:

Detection without direct cable or wire contact

Ergonomically shaped

Can be used with any Tone Generator

Replacement quick change tips available



4-Pair Tester

[1490530-1](#)

Features:

Tests for opens, shorts, mis-wires, reversals and split pairs

Auto on/off

Battery low indicator



Contractor Tools

Butt Set

1490532-1

Features:

LCD Display shows; on-hook voltage, number dialled, off-hook current, called ID, stored numbers etc.
Tone and pulse dialling
Modular cord set attachment
Auto off



Superchamp II

Tools for service & repair

Features:

Made from high quality special steel for long life
Fitted with plastic comfort handles



169060-8	For PIDG, PLASTIGRIP - All Types Bolt cutters for 3, 3.5, 4 & 5 mm bolts Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6 mm	0.4 - 6.0 (22-10)
169111-1	For Open Barrel Terminals 'F' crimp Crimp widths; 2.2, 2.4, 2.8, 3.2, 3.8 & 4.8 mm Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6 mm	0.4 - 6.0 (22-10)

Superchamp FT

720781-3 - for service & repair with Bulkhead Series and PIDG & PLASTIGRIP Terminals

Features:

Made from high quality special steel for long life
Fitted with plastic comfort handles

Bulkhead Series Terminals
0.3 mm²
0.5 - 0.85 mm²
1.25 - 2.0 mm²

PIDG & PLASTIGRIP
RBY 0.5 - 6mm² (22-10)
General wire strippers



Contractor Tools

CRIMPAC CG

734372-1 - Base Tool without dies

Features:

Toggle lever handle force adjuster with quick release
Cable cutting device 0.5 - 6 mm² (21-10)
Wire stripping device 0.5 - 6 mm² (21-10)



734481-1	Die-set for PIDG, PLASTIGRIP - All Types Use in Hand Tool Frame 734372-1	0.6 - 6.0 (21-10)
825508-5	Complete tool for PIDG & PLASTIGRIP Terminals	0.5 - 6.0 (21-10)

Universal Service Tool

Four Universal Service Tools for common general crimping applications.
(1-1579004-4 pictured) - see also Industry / Product Specific Kit section.
734790-1 - replacement Base Tool without Die-set

Features:

Interchangeable Dies
Ratchet mechanism ensures complete crimp cycle
Easy access ratchet release
Handle pressure adjustment with locking device
Ergonomic non-slip handles
Approximate weight 0.59 kg (1.3 lbs)



1-1579004-4	Complete tool for PIDG, PLASTIGRIP - All Types	0.5 - 6.0 (21-10)
1-1579004-5	Complete tool for FASTON & FASTIN-FASTON	0.1 - 6.0 (18-10)
1-1579004-6	Complete tool for SOLISTRAND Terminals & Splices	0.08 - 10.0 (28-8)
1-1579004-7	Complete tool for Wire End Ferrules	0.15 - 2.5 (26-14)

Contractor Tools

Die-set - SDE for Fibre Optic Connectors

[SDE Dies allow Hand or Powered options](#)

Features:

Use in:

SDE Pro-crimper III Hand Tool 354940-1

SDE PEW 12 Hand Tool 9-1478240

SDE Battery Tool (Kit) 1725837-2

SDE 626 Head 679304-1 + accessories for the 626 Pneumatic System.

SDE Electric Terminator 1490076-2 complete with SDE Head & Foot switch.

Head only 1673663-2 for the SDE Electric Terminator



58424-1	For Optimate ST	Cable Dia 3 mm
492622-1	For LightCrimp Plus and LightCrimp ST	Cable Dia 3.0 mm
492783-1	For LightCrimp Plus and LightCrimp SC	Cable Dia 3.0 mm
503910-1	For Optimate SC	Cable Dia 3 mm
1588175-1	For LightCrimp	Cable Dia 1.6 - 2.0

Fibre Cleaver - S 315

[492674-1](#)

Features:

Long life Ceramic Blade - over 6,000 cuts

90° at <1°, and 99% at <2°

Suitable for single and multimode fibres

Carry case included



Fibre Cleaver - Universal

[503924-1](#)

Features:

For all Cut & Break applications

Cutter life: circa 40,000 cleaves



Contractor Tools

Dual Purpose Butterfly Tool

Mass termination tool for AMP CHAMP products

Features:

- Mass terminates and shears all wires in a single action
- Can be fixed by screws to a bench
- Supplied in a carrying case



229378-1	Standard tool for AMP CHAMP	14, 24, 36 & 50 Posn
2-229378-5	GB version for AMP CHAMP	50 Posn
231880-1	Standard tool for AMP CHAMP	64 Posn