




7021X Series Surface Mount LEDs Reverse Mounting

DESCRIPTION AND FEATURES



Surface Mount Technology

- Tape and reel packaged for high-speed autoinsertion.
- Convection and vapor-phase reflow compatible.
- Compact form enables high density placement.
- Packaged 3000 per reel.

Leading Edge LED Optoelectronic Performance

- Consistent high brightness.

Exceptional Reliability

- Stringent process controls assure quality.
- Extensive qualification testing to meet strictest requirements.
- Designed to permit easy post-reflow solder joint inspection.
- Solder pad geometry on page 1-X1.

ELECTRO-OPTICAL CHARACTERISTICS AND RATINGS

| PART NUMBER | 7021X1 | 7021X3 | 7021X5 | 7021X7 | 7021X15 |
|------------------------------------|-------------|-------------|-------------|-------------|-------------|
| Output Color | Red | Orange | Green | Yellow | Green |
| Diffused/Non-Diffused | Diffused | Diffused | Diffused | Diffused | Diffused |
| Package Color | Clear | Clear | Clear | Clear | Clear |
| Power Dissipation (mW) | 57.5 | 70 | 70 | 70 | 70 |
| Peak Forward Current Max. (mA) | 60 | 60 | 60 | 60 | 60 |
| Reverse Voltage (IR=100µA) (V) | 4 | 4 | 4 | 4 | 4 |
| Operating temperature (°C) | -30 to +85 |
| Storage Temperature (°C) | -40 to +100 |
| Forward Voltage Typ. (IF=20mA) | 1.7 | 2.2 | 2.1 | 2.2 | 2.1 |
| Forward Voltage Max. (IF=20mA) | 2.3 | 2.8 | 2.8 | 2.8 | 2.8 |
| Lead Solder Time @ 260°C (seconds) | 5 | 5 | 5 | 5 | 5 |
| Luminous Intensity Min. (IF=20mA) | 7.6 | 2.2 | 4.1 | 2.2 | 1.6 |
| Luminous Intensity Typ. (IF=20mA) | 12.7 | 3.7 | 6.9 | 3.7 | 2.7 |
| Peak Wavelength (IF=20mA) | 660 | 605 | 560 | 580 | 555 |
| Viewing Angle (degrees) | 75 | 70 | 70 | 70 | 70 |
| Rated Current (mA) | 20 | 20 | 20 | 20 | 20 |



America:
CML Innovative Technologies, Inc.
147 Central Avenue
Hackensack - NJ 07601 - USA
Tel: 1-201-489-8989
Fax: 1-201-489-6911
e-mail: americas@cml-it.com

Europe:
CML Technologies GmbH & Co.KG
Robert-Bunsen-Str.1
67098 Bad Dürkheim - GERMANY
Tel: +49 (0)6322 9567-0
Fax: +49 (0)6322 9567-88
e-mail: europe@cml-it.com

Asia:
CML Innovative Technologies, Inc.
61 Aida Street
Singapore 459975
Tel: (65)9630-5003
e-mail: asia@cml-it.com