



NOTES:

- 1. END CAPS ARE NOT SHOWN BUT INCLUDED.
- 2. MTP MALE CONNECTOR IS SHOWN. FEMALE CONNECTOR DOES NOT CONTAIN PINS.
- 3. INSERTION LOSS @ 850nm TO AN INTERPOSER: 2.0 dB. THROUGHPUT LOSS (MTP+VERSABEAM POD): 1.2dB. TEST DATA IS SENT WITH JUMPER.
- 4. LABEL IS PRINTED WITH MOLEX NAME, PART NUMBER AND SERIAL NUMBER.

ENTER DESCRIPTION EC NO: MF2015-0076 DRAWN: MAGHAYERE CHKD: APPR: YBEDNYAK E2		DESCRIPTION 2014/08/05 2014/08/13 REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				
						DRAWN BY EEFUNG		DATE 2010/08/09	TITLE MTP24 TO 2X VERSABEAM POD JUMPER, MM 50/125UM molex					
						CHECKED BY		DATE						
						APPROVED BY		DATE 2014/02/17	DOCUMENT NO. SD-106267-2021 SHEET NO. 1 OF 1					
						MATERIAL NO.								
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ±1/2°		SIZE B						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION