

F

E

D

C

B

A

F

E

D

C


B

A

部品構成
PARTS CONSTRUCTION


部番 NO.	部品名 PART NAME	製品番号 ENG. NO.	個数 QUAN.	材質 MATERIAL
①	ハウジングアッセンブリ HOUSING ASS'Y	54593-1016	1	ハウジング：ポリアミド，UL94V-0 色：黒 HOUSING：POLYAMIDE，UL94V-0 COLOR：BLACK ターミナル：りん青銅 t0.3 TERMINAL：PHOSPHOR BRONZE t0.3 メッキ仕様 接点部：ニッケル下地金メッキ PLATING CONTACT AREA：GOLD OVER NICKEL 結線部：ニッケル下地錫メッキ WIRE TERMINATION AREA：TIN OVER NICKEL
②	カバーA COVER A	54594-1015	1	カバーA：ガラス入りポリカーボネイト樹脂 COVER A：POLYCARBONATE G.F. UL94V-0 色：グレー UL94V-0 COLOR：GRAY スプリングラッチ：ステンレス鋼 t0.4 SPRING LATCH：STAINLESS STEEL t0.4
③	カバーB COVER B	54595-1005	1	ガラス入りポリカーボネイト樹脂 UL94V-0 色：グレー POLYCARBONATE G.F. UL94V-0 COLOR：GRAY
④	シエル カバー SHELL COVER	58935-1028	1	りん青銅 t0.4 PHOSPHOR BRONZE t0.4
⑤	シエル ボディ SHELL BODY	58934-1028	1	メッキ仕様：ニッケル下地、錫メッキ PLATING：NICKEL BASE，TIN PLATING
⑥	ケーブルクランプ CABLE CLAMP	58937-0000	1	ステンレス鋼 STAINLESS STEEL
⑦	十字穴付きなべ小ネジ CROSS RECESSED PAN HEAD MACHINE SCREW	58203-0010	2	鋼（ネジサイズ：M2X5） STEEL（SCREW SIZE：M2X5）

注記： 1. 本製品は 54599-1015 の鉛フリー品である。
NOTES: THIS PRODUCT IS LEAD FREE OF 54599-1015.




CABLE CLAMP

SCREW




HOUSING ASS'Y



COVER A

COVER B



SHELL COVER

SHELL BODY

54599-1019	54599-101*
MATERIAL NO.	MODEL NO.

REVISED

EC NO: J2010-0635

DRW: NESATO

CHKD: MATSUMOTO

APPR: HIRATA

REV

2010/02/25

2010/02/25

2010/02/25

DESCRIPTION

A

7

GENERAL TOLERANCES
(UNLESS SPECIFIED)

10 UNDER ± ---

10 OVER 30 UNDER ± ---

30 OVER ± ---

ANGULAR ± --- °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY M. NABEI

DATE 2004/04/14

CHECKED BY K. TOJO

DATE 2004/04/14

APPROVED BY HIRATA

DATE 2010/02/25

MATERIAL NO.

SEE TABLE

SIZE A3

SCALE ---

DESIGN UNITS METRIC


THIRD ANGLE PROJECTION

2.0 I/O CONN.
HAND/S TYPE PLUG SET
-LEAD FREE-
MOLEX INCORPORATED


DOCUMENT NO. SD-54599-006

SHEET NO. 1 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



REVISED EC NO: J2010-0635 DRW: SATO CHKD: MATSUMOTO APPR: HIRATA	DESCRIPTION 2010/02/25 2010/02/25 2010/02/25	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± ---	DRAWN BY M. NABEI	DATE 2004/04/14	TITLE 2.0 I/O CONN. HAND/S TYPE PLUG SET -LEAD FREE-			
		10 OVER 30 UNDER	± ---	CHECKED BY K. TOJO	DATE 2004/04/14				
		30 OVER	± ---	APPROVED BY HIRATA	DATE 2010/02/25	 MOLEX INCORPORATED			
		ANGULAR ± --- °		MATERIAL NO.					
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-54599-006		2 OF 2		
A	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



REV	DESCRIPTION
REVISED	
EC NO: J2010-0635	2010/02/25
DRW:ESATO	2010/02/25
CHKD:HMATSUMOTO	2010/02/25
APPR:HIRATA	2010/02/25
A	

GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 UNDER	± ---
10 OVER 30 UNDER	± ---
30 OVER	± ---
ANGULAR	± --- °
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE MM ONLY	
DRAWN BY	DATE
M. NABEI	2004/04/14
CHECKED BY	DATE
K. TOJO	2004/04/14
APPROVED BY	DATE
HIRATA	2010/02/25
MATERIAL NO.	
SIZE	
A3	

54599-101*	MODEL NO.
DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
TITLE	
2.0 I/O CONN. HAND/S TYPE PLUG SET -LEAD FREE-	
MOLEX INCORPORATED	
DOCUMENT NO.	SHEET NO.
SD-54599-006	3 OF 3