

10

9

8

7

6



5

4





3

2

1



RECOMMENDED P.C.B HOLE LAYOUT



REVISION OF DRAWING MAY BE
CHANGED DURING FINAL RELEASED
FOR PRODUCTION.

ib_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

NOTES:

1. MATERIAL:

HSG: LCP, GLASS-FILLED, UL94V-0,

COLOR: BLACK

PIN: 0.64MM SQ PIN, COPPER ALLOY

2. PLATING TYPE:

(1) : 0.0254 μ m GOLD FLASH OVER1.25 μ m MIN. NICKEL OVERALL.(2) : 0.025 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(3) : 0.25 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(4) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(5) : 0.75 μ m MIN. GOLD PLATE ON CONTACT AND1.88 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL(6) : 2.50 μ m MIN. TIN OVER 1.25 μ m MIN. NICKEL OVERALL.(7) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND2.50 μ m MIN. TIN ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(8) : 0.38 μ m MIN. GOLD PLATE ON CONTACT AND0.05 μ m MIN. GOLD FLASH ON SOLDER TAIL OVER1.25 μ m MIN. NICKEL OVERALL.(9) : 0.05 - 0.25 μ m MIN. GOLD FLASH OVER1.25 μ m MIN. NICKEL OVERALL.

3. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION

4. THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

5. FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.

6. RECOMMENDED PCB THICKNESS 1.60MM.

7. PRODUCT SPECIFICATION: PS-87920-019

8. WAFER TO BE FLAT WITHIN 0.003mm/mm

9. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION

IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN

BODY IS NOT ACCEPTABLE.

10. PARTS ARE NOT STACKABLE ON 2.54 CENTER

11. CAP TO BE PLACED AS CENTRAL OF PART AS POSSIBLE

WITH THE TOP SURFACE FLAT FOR PICK AND PLACE.

12. PACKAGING SPECIFICATION:

TRAY: PK-89990-489

BULK: PK-89990-491

SEE SHEET 14
EC NO: S2015-1512
DRAWN: RAMAKRISHNA 2015/06/25
CHKD: ATSEE 2015/06/25
APPR: KPRASAD 2015/07/15

QUALITY
SYMBOLS
 $F_A=0$
 $F_G=0$
 $F_P=0$

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
0 PLACE	±	±

ANGULAR ± 3 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
KCHO	2004/11/05
CHECKED BY	DATE
PTLIM	2004/12/08
APPROVED BY	DATE
MLONG	2010/09/06

MATERIAL NO.

SEE TABLE

SCALE
NTS

TITLE

2.54MM PITCH
DUAL ROW HEADER
SINGLE WAFER, T/H

molex

DOCUMENT NO.

SD-87914-013

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

SHEET NO.
1 OF 45

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

	10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	P							
F	87914-0211	-----	-----	-----	-----	2	----	1	2.54	----	10.92	5.84	2.79							
	87914-0221	-----	-----	-----	-----	2	----	1	2.54	----	12.25	7.00	2.96							
	87914-0231	-----	-----	-----	-----	2	----	1	2.54	----	13.38	6.09	5.00							
	87914-0212	-----	-----	-----	-----	2	----	2	2.54	----	10.92	5.84	2.79							
	87914-0222	-----	-----	-----	-----	2	----	2	2.54	----	12.25	7.00	2.96							
	87914-0232	-----	-----	-----	-----	2	----	2	2.54	----	13.38	6.09	5.00							
E	87914-0213	-----	-----	-----	-----	2	----	3	2.54	----	10.92	5.84	2.79							
	87914-0223	-----	-----	-----	-----	2	----	3	2.54	----	12.25	7.00	2.96							
	87914-0233	-----	-----	-----	-----	2	----	3	2.54	----	13.38	6.09	5.00							
	87914-0214	-----	-----	-----	-----	2	----	4	2.54	----	10.92	5.84	2.79							
	87914-0224	-----	-----	-----	-----	2	----	4	2.54	----	12.25	7.00	2.96							
	87914-0234	-----	-----	-----	-----	2	----	4	2.54	----	13.38	6.09	5.00							
D	87914-0215	-----	-----	-----	-----	2	----	5	2.54	----	10.92	5.84	2.79							
	87914-0225	-----	-----	-----	-----	2	----	5	2.54	----	12.25	7.00	2.96							
	87914-0235	-----	-----	-----	-----	2	----	5	2.54	----	13.38	6.09	5.00							
	87914-0216	-----	-----	-----	-----	2	----	6	2.54	----	10.92	5.84	2.79							
	87914-0226	-----	-----	-----	-----	2	----	6	2.54	----	12.25	7.00	2.96							
	87914-0236	-----	-----	-----	-----	2	----	6	2.54	----	13.38	6.09	5.00							
C																				
B																				
A							SEE SHEET 14 IEC NO: S2015-1512 DRAWN:PRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SD-87914-013 SHEET NO. 2 OF 45				
											DRAWN BY DATE KCHO 2004/11/05		TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H							
									4 PLACES ± --- ± ---		CHECKED BY DATE PTLIM 2004/12/08									
									3 PLACES ± --- ± ---		APPROVED BY DATE MLONG 2010/09/06									
									2 PLACES ± 0.20 ± ---		MATERIAL NO.									
									1 PLACE ± --- ± ---		SEE TABLE									
									0 PLACE ± ±		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
									ANGULAR ± 3 °		SIZE A3		DOCUMENT NO.							
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1		

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
	A	B	F	M	P															
	87914-0411	-----	-----	-----	-----	4	-----	1	5.08	2.54	10.92	5.84	2.79							
	87914-0421	-----	-----	-----	-----	4	-----	1	5.08	2.54	12.25	7.00	2.96							
	87914-0431	-----	-----	-----	-----	4	-----	1	5.08	2.54	13.38	6.09	5.00							
	87914-0412	-----	-----	-----	-----	4	-----	2	5.08	2.54	10.92	5.84	2.79							
	87914-0422	-----	-----	-----	-----	4	-----	2	5.08	2.54	12.25	7.00	2.96							
	87914-0432	-----	-----	-----	-----	4	-----	2	5.08	2.54	13.38	6.09	5.00							
E	87914-0413	-----	-----	-----	-----	4	-----	3	5.08	2.54	10.92	5.84	2.79	E						
	87914-0423	-----	-----	-----	-----	4	-----	3	5.08	2.54	12.25	7.00	2.96							
	87914-0433	-----	-----	-----	-----	4	-----	3	5.08	2.54	13.38	6.09	5.00							
	87914-0414	-----	-----	-----	-----	4	-----	4	5.08	2.54	10.92	5.84	2.79							
	87914-0424	-----	-----	-----	-----	4	-----	4	5.08	2.54	12.25	7.00	2.96							
	87914-0434	-----	-----	-----	-----	4	-----	4	5.08	2.54	13.38	6.09	5.00							
D	87914-0415	-----	-----	-----	-----	4	-----	5	5.08	2.54	10.92	5.84	2.79	D						
	87914-0425	-----	-----	-----	-----	4	-----	5	5.08	2.54	12.25	7.00	2.96							
	87914-0435	-----	-----	-----	-----	4	-----	5	5.08	2.54	13.38	6.09	5.00							
	87914-0416	-----	-----	-----	-----	4	-----	6	5.08	2.54	10.92	5.84	2.79							
	87914-0426	-----	-----	-----	-----	4	-----	6	5.08	2.54	12.25	7.00	2.96							
	87914-0436	-----	-----	-----	-----	4	-----	6	5.08	2.54	13.38	6.09	5.00							
C														C						
B														B						

[illegible]

	10		9		8		7		6		5		4		3		2		1																																																																																																																																																										
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION															F																																																																																																																																																					
									A	B	F	M	P																																																																																																																																																																
	87914-0009	-----	-----	-----	-----	6	----	1	7.62	5.08	18.84	13.25	3.30																																																																																																																																																																
	87914-0642	-----	-----	-----	-----	6	----	2	7.62	5.08	18.84	13.25	3.30																																																																																																																																																																
	87914-0643	-----	-----	-----	-----	6	----	3	7.62	5.08	18.84	13.25	3.30																																																																																																																																																																
	87914-0644	-----	-----	-----	-----	6	----	4	7.62	5.08	18.84	13.25	3.30																																																																																																																																																																
	87914-0645	-----	-----	-----	-----	6	----	5	7.62	5.08	18.84	13.25	3.30																																																																																																																																																																
	87914-0646	-----	-----	-----	-----	6	----	6	7.62	5.08	18.84	13.25	3.30																																																																																																																																																																
E																					E																																																																																																																																																								
D																					D																																																																																																																																																								
C																					C																																																																																																																																																								
B																				B																																																																																																																																																									
A																				A																																																																																																																																																									
<table><tr><td rowspan="10">SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAWAKRISHNA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15 D15</td><td rowspan="10">REV</td><td rowspan="10">DESCRIPTION</td><td rowspan="10">QUALITY SYMBOLS =0 =0 =0 </td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2"> THIRD ANGLE PROJECTION </td><td colspan="4" rowspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td><td colspan="2" rowspan="2">SHEET NO. 5 OF 45</td></tr><tr><td colspan="2">mm INCH</td><td>DRAWN BY KCHO</td><td>DATE 2004/11/05</td><td>CHECKED BY PTLIM</td><td>DATE 2004/12/08</td><td>APPROVED BY MLONG</td><td>DATE 2010/09/06</td><td>MATERIAL NO.</td><td>DOCUMENT NO. SD-87914-013</td></tr><tr><td colspan="2">4 PLACES ± --- ± ---</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">3 PLACES ± --- ± ---</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">2 PLACES ± 0.20 ± ---</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">1 PLACE ± --- ± ---</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">0 PLACE ± ±</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">ANGULAR ± 3 °</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">SIZE A3</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>																				SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAWAKRISHNA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15 D15	REV	DESCRIPTION	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				SHEET NO. 5 OF 45		mm INCH		DRAWN BY KCHO	DATE 2004/11/05	CHECKED BY PTLIM	DATE 2004/12/08	APPROVED BY MLONG	DATE 2010/09/06	MATERIAL NO.	DOCUMENT NO. SD-87914-013	4 PLACES ± --- ± ---														3 PLACES ± --- ± ---														2 PLACES ± 0.20 ± ---														1 PLACE ± --- ± ---														0 PLACE ± ±														ANGULAR ± 3 °														DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														SIZE A3																											
SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAWAKRISHNA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15 D15	REV	DESCRIPTION	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				SHEET NO. 5 OF 45																																																																																																																																																													
				mm INCH		DRAWN BY KCHO	DATE 2004/11/05	CHECKED BY PTLIM	DATE 2004/12/08	APPROVED BY MLONG	DATE 2010/09/06							MATERIAL NO.	DOCUMENT NO. SD-87914-013																																																																																																																																																										
				4 PLACES ± --- ± ---																																																																																																																																																																									
				3 PLACES ± --- ± ---																																																																																																																																																																									
				2 PLACES ± 0.20 ± ---																																																																																																																																																																									
				1 PLACE ± --- ± ---																																																																																																																																																																									
				0 PLACE ± ±																																																																																																																																																																									
				ANGULAR ± 3 °																																																																																																																																																																									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																																																																									
				SIZE A3																																																																																																																																																																									
fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1																																																																																																																																																																				

10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										
									A	B	F	M	P	G					
F	87914-0811	-----	-----	-----	-----	8	-----	1	10.16	7.62	10.92	5.84	2.79	----	F				
	87914-0821	-----	-----	-----	-----	8	-----	1	10.16	7.62	12.25	7.00	2.96	----					
	87914-0831	-----	-----	-----	-----	8	-----	1	10.16	7.62	13.38	6.09	5.00	----					
	87914-0812	-----	-----	-----	-----	8	-----	2	10.16	7.62	10.92	5.84	2.79	----					
	87914-0822	-----	-----	-----	-----	8	-----	2	10.16	7.62	12.25	7.00	2.96	----					
	87914-0832	-----	-----	-----	-----	8	-----	2	10.16	7.62	13.38	6.09	5.00	----					
E	87914-0813	-----	-----	-----	-----	8	-----	3	10.16	7.62	10.92	5.84	2.79	----	E				
	87914-0823	-----	-----	-----	-----	8	-----	3	10.16	7.62	12.25	7.00	2.96	----					
	87914-0833	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----					
	87914-0814	-----	-----	-----	-----	8	-----	4	10.16	7.62	10.92	5.84	2.79	----					
	87914-0824	-----	-----	-----	-----	8	-----	4	10.16	7.62	12.25	7.00	2.96	----					
	87914-0834	-----	-----	-----	-----	8	-----	4	10.16	7.62	13.38	6.09	5.00	----					
D	87914-0815	-----	-----	-----	-----	8	-----	5	10.16	7.62	10.92	5.84	2.79	----	D				
	87914-0825	-----	-----	-----	-----	8	-----	5	10.16	7.62	12.25	7.00	2.96	----					
	87914-0835	-----	-----	-----	-----	8	-----	5	10.16	7.62	13.38	6.09	5.00	----					
	87914-0816	-----	-----	-----	-----	8	-----	6	10.16	7.62	10.92	5.84	2.79	----					
	87914-0826	-----	-----	-----	-----	8	-----	6	10.16	7.62	12.25	7.00	2.96	----					
	87914-0836	-----	-----	-----	-----	8	-----	6	10.16	7.62	13.38	6.09	5.00	----					
C	87914-0807	-----	-----	-----	-----	8	2,3,4,5,6,8	6	10.16	7.62	21.75	16.51	2.95	----	C				
B																	B		
A																	A		
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1									

SEE SHEET 14 EC NO: S2015-1512 DRAWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		=0 =0 =0		mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	DOCUMENT NO. SD-87914-013	SHEET NO. 6 OF 45	
			4 PLACES	± ---	± ---	CHECKED BY PTLIM	DATE 2004/12/08				
			3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06				
			2 PLACES	± 0.20	± ---						
			1 PLACE	± ---	± ---						
		0 PLACE	±	±	MATERIAL NO. SEE TABLE						
		ANGULAR ± 3 °									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

[illegible]

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	PART NO. FOR BULK PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
										A	B	F	M	P	G						
F	87914-1011	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	10.92	5.84	2.79	----						
	87914-1021	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	12.25	7.00	2.96	----						
	87914-1031	-----	-----	-----	-----	-----	10	-----	1	12.70	10.16	13.38	6.09	5.00	----						
	87914-1012	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	10.92	5.84	2.79	----						
	87914-1022	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	12.25	7.00	2.96	----						
	87914-1032	-----	-----	-----	-----	-----	10	-----	2	12.70	10.16	13.38	6.09	5.00	----						
E	87914-1013	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	10.92	5.84	2.79	----						
	87914-1023	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	12.25	7.00	2.96	----						
	87914-1033	-----	-----	-----	-----	-----	10	-----	3	12.70	10.16	13.38	6.09	5.00	----						
	87914-1014	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	10.92	5.84	2.79	----						
	87914-1024	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	12.25	7.00	2.96	----						
	87914-1034	-----	-----	-----	-----	-----	10	-----	4	12.70	10.16	13.38	6.09	5.00	----						
D	87914-1015	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	10.92	5.84	2.79	----						
	87914-1025	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	12.25	7.00	2.96	----						
	87914-1035	-----	-----	-----	-----	-----	10	-----	5	12.70	10.16	13.38	6.09	5.00	----						
	87914-1016	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	10.92	5.84	2.79	----						
	87914-1026	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	12.25	7.00	2.96	----						
	87914-1036	-----	-----	-----	-----	-----	10	-----	6	12.70	10.16	13.38	6.09	5.00	----						
C	87914-0001	-----	-----	-----	-----	-----	10	-----	7	12.70	10.16	12.07	5.97	3.81	----						
	-----	-----	-----	-----	-----	87914-1037	10	9	4	12.70	10.16	10.92	5.84	2.79	----						
B																					

A	SEE SHEET 14 EC NO: S2015-1512 DRAWN: RAMAKRISHNA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15	REV	DESCRIPTION	QUALITY SYMBOLS F_A=0 F_B=0 F_C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex	SD-87914-013	SHEET NO. 8 OF 45	A
						MM ONLY		NTS	METRIC					
						DRAWN BY DATE		TITLE						
						CHECKED BY DATE								
						APPROVED BY DATE								
						MATERIAL NO.		DOCUMENT NO.						
						SEE TABLE								
						SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
						A3								
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

10		9		8		7		6		5		4		3		2		1			
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
								A	B	F	M	P									
F	87914-1251	-----	-----	-----	-----	12	-----	1	15.24	12.70	18.40	13.08	3.03								
	87914-1252	-----	-----	-----	-----	12	-----	2	15.24	12.70	18.40	13.08	3.03								
	87914-1253	-----	-----	-----	-----	12	-----	3	15.24	12.70	18.40	13.08	3.03								
	87914-1254	-----	-----	-----	-----	12	-----	4	15.24	12.70	18.40	13.08	3.03								
	87914-1255	-----	-----	-----	-----	12	-----	5	15.24	12.70	18.40	13.08	3.03								
	87914-1256	-----	-----	-----	-----	12	-----	6	15.24	12.70	18.40	13.08	3.03								
E	87914-1241	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.50	6.95	3.26								
	87914-1242	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.50	6.95	3.26								
	87914-1243	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.50	6.95	3.26								
	87914-1244	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.50	6.95	3.26								
	87914-1245	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.50	6.95	3.26								
	87914-1246	-----	-----	-----	-----	12	-----	6	15.24	12.70	29.26	23.32	3.65								
D																					
C																					
B																					
A																					
SEE SHEET 14		EC NO: S2015-1512		DRWN:MRAMAKRISHNA 2015/06/25		CHKD:ATSEE 2015/06/25		APPR:KPRASAD 2015/07/15		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
D15												4 PLACES ± --- ± ---		mm INCH		DRAWN BY DATE		TITLE			
												3 PLACES ± --- ± ---				KCHO 2004/11/05					
												2 PLACES ± 0.20 ± ---				CHECKED BY DATE					
												1 PLACE ± --- ± ---				PTL IM 2004/12/08					
												0 PLACE ± ±				APPROVED BY DATE					
												ANGULAR ± 3 °				MLONG 2010/09/06					
												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
												SIZE A3				SEE TABLE		SD-87914-013		10 OF 45	
										</											

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
	A	B	F	M	P															
	87914-1411	-----	-----	-----	-----	14	-----	1	17.78	15.24	10.92	5.84	2.79							
	87914-1421	-----	-----	-----	-----	14	-----	1	17.78	15.24	12.25	7.00	2.96							
	87914-1431	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.38	6.09	5.00							
	87914-1412	-----	-----	-----	-----	14	-----	2	17.78	15.24	10.92	5.84	2.79							
	87914-1422	-----	-----	-----	-----	14	-----	2	17.78	15.24	12.25	7.00	2.96							
	87914-1432	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.38	6.09	5.00							
E	87914-1413	-----	-----	-----	-----	14	-----	3	17.78	15.24	10.92	5.84	2.79							
	87914-1423	-----	-----	-----	-----	14	-----	3	17.78	15.24	12.25	7.00	2.96							
	87914-1433	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.38	6.09	5.00							
	87914-1414	-----	-----	-----	-----	14	-----	4	17.78	15.24	10.92	5.84	2.79							
	87914-1424	-----	-----	-----	-----	14	-----	4	17.78	15.24	12.25	7.00	2.96							
	87914-1434	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.38	6.09	5.00							
D	87914-1415	-----	-----	-----	-----	14	-----	5	17.78	15.24	10.92	5.84	2.79							
	87914-1425	-----	-----	-----	-----	14	-----	5	17.78	15.24	12.25	7.00	2.96							
	87914-1435	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.38	6.09	5.00							
	87914-1416	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79							
	87914-1426	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96							
	87914-1436	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.38	6.09	5.00							
C	87914-0007	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.42	8.08	3.05							
B																				
A	SEE SHEET 14 EC NO: S2015-1512 DRWN:RAVAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 DESCRIPTION REV D15 QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- 3 PLACES ± --- 2 PLACES ± 0.20 1 PLACE ± --- 0 PLACE ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY DRAWN BY DATE KCHOI 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 11 OF 45 SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
fb_frame_A3_P_AM_T	9	8	7	6	5	4	3	2	1											
Rev. G 2012/01/11																				

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-1441	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.42	8.08	3.05						
	87914-1442	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.42	8.08	3.05						
	87914-1443	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.42	8.08	3.05						
	87914-1444	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.42	8.08	3.05						
	87914-1445	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.42	8.08	3.05						
E																			
D																			
C																			
B																			
A																			
SEE SHEET 14 EC NO: S2015-1512 DRWN:MRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 QUALITY SYMBOLS =0 =0 =0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. DOCUMENT NO. SEE TABLE SD-87914-013 SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex SHEET NO. 12 OF 45																			
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1									

10		9		8		7		6		5		4		3		2		1																																	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																											
								A	B	F	M	P																																							
F	87914-1611	-----	-----	-----	-----	16	----	1	20.32	17.78	10.92	5.84	2.79	F																																					
	87914-1621	-----	-----	-----	-----	16	----	1	20.32	17.78	12.25	7.00	2.96																																						
	87914-1631	-----	-----	-----	-----	16	----	1	20.32	17.78	13.38	6.09	5.00																																						
	87914-1612	-----	-----	-----	-----	16	----	2	20.32	17.78	10.92	5.84	2.79																																						
	87914-1622	-----	-----	-----	-----	16	----	2	20.32	17.78	12.25	7.00	2.96																																						
	87914-1632	-----	-----	-----	-----	16	----	2	20.32	17.78	13.38	6.09	5.00																																						
E	87914-1613	-----	-----	-----	-----	16	----	3	20.32	17.78	10.92	5.84	2.79	E																																					
	87914-1623	-----	-----	-----	-----	16	----	3	20.32	17.78	12.25	7.00	2.96																																						
	87914-1633	-----	-----	-----	-----	16	----	3	20.32	17.78	13.38	6.09	5.00																																						
D	87914-1614	-----	-----	-----	-----	16	----	4	20.32	17.78	10.92	5.84	2.79	D																																					
	87914-1624	-----	-----	-----	-----	16	----	4	20.32	17.78	12.25	7.00	2.96																																						
	87914-1634	-----	-----	-----	-----	16	----	4	20.32	17.78	13.38	6.09	5.00																																						
	87914-1615	-----	-----	-----	-----	16	----	5	20.32	17.78	10.92	5.84	2.79																																						
	87914-1625	-----	-----	-----	-----	16	----	5	20.32	17.78	12.25	7.00	2.96																																						
	87914-1635	-----	-----	-----	-----	16	----	5	20.32	17.78	13.38	6.09	5.00																																						
C	87914-1616	-----	-----	-----	-----	16	----	6	20.32	17.78	10.92	5.84	2.79	C																																					
	87914-1626	-----	-----	-----	-----	16	----	6	20.32	17.78	12.25	7.00	2.96																																						
	87914-1636	-----	-----	-----	-----	16	----	6	20.32	17.78	13.38	6.09	5.00																																						
	87914-1600	-----	-----	-----	-----	16	----	6	20.32	17.78	9.49	4.50	2.70																																						
	87914-1637	-----	-----	-----	-----	16	----	6	20.32	17.78	15.79	10.45	3.05																																						
B														B																																					
A	SEE SHEET 14 EC NO: S2015-1512 DRWN:NRAMAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 QUALITY SYMBOLS ▽_F=0 ▽_F=0 ▽_F=0 GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr><tr><td colspan="3">ANGULAR ± 3 °</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr></table> DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>KCHO</td><td>2004/11/05</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>PTLIM</td><td>2004/12/08</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>MLONG</td><td>2010/09/06</td></tr></table> SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex MATERIAL NO. SEE TABLE DOCUMENT NO. SD-87914-013 SHEET NO. 13 OF 45 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.20	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	ANGULAR ± 3 °			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DRAWN BY	DATE	KCHO	2004/11/05	CHECKED BY	DATE	PTLIM	2004/12/08	APPROVED BY	DATE	MLONG	2010/09/06	A
		mm	INCH																																																
	4 PLACES	± ---	± ---																																																
	3 PLACES	± ---	± ---																																																
	2 PLACES	± 0.20	± ---																																																
	1 PLACE	± ---	± ---																																																
	0 PLACE	±	±																																																
	ANGULAR ± 3 °																																																		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																		
	DRAWN BY	DATE																																																	
KCHO	2004/11/05																																																		
CHECKED BY	DATE																																																		
PTLIM	2004/12/08																																																		
APPROVED BY	DATE																																																		
MLONG	2010/09/06																																																		
fb_frame_A3_P_AM_T Rev. G 2012/01/11																																																			
9		8		7		6		5		4		3		2		1																																			

10		9		8		7		6		5		4		3		2		1			
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
								A	B	F	M	P	G								
F	87914-1811	-----	-----	-----	-----	18	-----	1	22.86	20.32	10.92	5.84	2.79	----	F						
	87914-1821	-----	-----	-----	-----	18	-----	1	22.86	20.32	12.25	7.00	2.96	----							
	87914-1831	-----	-----	-----	-----	18	-----	1	22.86	20.32	13.38	6.09	5.00	----							
	87914-1812	-----	-----	-----	-----	18	-----	2	22.86	20.32	10.92	5.84	2.79	----	E						
	87914-1822	-----	-----	-----	-----	18	-----	2	22.86	20.32	12.25	7.00	2.96	----							
	87914-1832	-----	-----	-----	-----	18	-----	2	22.86	20.32	13.38	6.09	5.00	----							
E	87914-1813	-----	-----	-----	-----	18	-----	3	22.86	20.32	10.92	5.84	2.79	----	E						
	87914-1823	-----	-----	-----	-----	18	-----	3	22.86	20.32	12.25	7.00	2.96	----							
	87914-1833	-----	-----	-----	-----	18	-----	3	22.86	20.32	13.38	6.09	5.00	----							
	87914-1814	-----	-----	-----	-----	18	-----	4	22.86	20.32	10.92	5.84	2.79	----	D						
	87914-1824	-----	-----	-----	-----	18	-----	4	22.86	20.32	12.25	7.00	2.96	----							
	87914-1834	-----	-----	-----	-----	18	-----	4	22.86	20.32	13.38	6.09	5.00	----							
D	87914-1815	-----	-----	-----	-----	18	-----	5	22.86	20.32	10.92	5.84	2.79	----	D						
	87914-1825	-----	-----	-----	-----	18	-----	5	22.86	20.32	12.25	7.00	2.96	----							
	87914-1835	-----	-----	-----	-----	18	-----	5	22.86	20.32	13.38	6.09	5.00	----							
	87914-1816	-----	-----	-----	-----	18	-----	6	22.86	20.32	10.92	5.84	2.79	----	C						
	87914-1826	-----	-----	-----	-----	18	-----	6	22.86	20.32	12.25	7.00	2.96	----							
	87914-1836	-----	-----	-----	-----	18	-----	6	22.86	20.32	13.38	6.09	5.00	----							
C	-----	-----	87914-1807	-----	-----	18	-----	6	22.86	20.32	17.02	11.05	3.68	18.02	C						
															B						
B															B						
															A						
ADD P/N: 87914-1807		EC NO: SZ015-1512		DRW:N/PRAMAKRI SHNA 2015/06/25		CHK:D/ATSEE 2015/06/25		APPR:K/PRASAD 2015/07/15		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
REV		DESCRIPTION		F=0		F=0		F=0		4 PLACES ± --- ± ---		3 PLACES ± --- ± ---		2 PLACES ± 0.20 ± ---		1 PLACE ± --- ± ---		0 PLACE ± ±		ANGULAR ± 3 °	
D15																					

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-2011	-----	-----	-----	-----	20	-----	1	25.40	22.86	10.92	5.84	2.79						
	87914-2021	-----	-----	-----	-----	20	-----	1	25.40	22.86	12.25	7.00	2.96						
	87914-2031	-----	-----	-----	-----	20	-----	1	25.40	22.86	13.38	6.09	5.00						
	87914-2012	-----	-----	-----	-----	20	-----	2	25.40	22.86	10.92	5.84	2.79						
	87914-2022	-----	-----	-----	-----	20	-----	2	25.40	22.86	12.25	7.00	2.96						
	87914-2032	-----	-----	-----	-----	20	-----	2	25.40	22.86	13.38	6.09	5.00						
E	87914-2013	-----	-----	-----	-----	20	-----	3	25.40	22.86	10.92	5.84	2.79						
	87914-2023	-----	-----	-----	-----	20	-----	3	25.40	22.86	12.25	7.00	2.96						
	87914-2033	-----	-----	-----	-----	20	-----	3	25.40	22.86	13.38	6.09	5.00						
	87914-2014	-----	-----	-----	-----	20	-----	4	25.40	22.86	10.92	5.84	2.79						
	87914-2024	-----	-----	-----	-----	20	-----	4	25.40	22.86	12.25	7.00	2.96						
	87914-2034	-----	-----	-----	-----	20	-----	4	25.40	22.86	13.38	6.09	5.00						
D	87914-2015	-----	-----	-----	-----	20	-----	5	25.40	22.86	10.92	5.84	2.79						
	87914-2025	-----	-----	-----	-----	20	-----	5	25.40	22.86	12.25	7.00	2.96						
	87914-2035	-----	-----	-----	-----	20	-----	5	25.40	22.86	13.38	6.09	5.00						
	87914-2016	-----	-----	-----	-----	20	-----	6	25.40	22.86	10.92	5.84	2.79						
	87914-2026	-----	-----	-----	-----	20	-----	6	25.40	22.86	12.25	7.00	2.96						
	87914-2036	-----	-----	-----	-----	20	-----	6	25.40	22.86	13.38	6.09	5.00						
C																			
B																			
A	SEE SHEET 14 EC NO: S2015-1512 DRAWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV DESCRIPTION							QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
								 		mm	INCH	DRAWN BY	DATE	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex					
									4 PLACES	± ---	± ---	KCHO	2004/11/05						
									3 PLACES	± ---	± ---	CHECKED BY	DATE						
									2 PLACES	± 0.20	± ---	PTL IM	2004/12/08						
									1 PLACE	± ---	± ---	APPROVED BY	DATE						
								0 PLACE	±	±	MLONG	2010/09/06	MATERIAL NO.		DOCUMENT NO.	SHEET NO.			
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-87914-013				15 OF 45		
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
								fb_frame_A3_P_AM_T Rev. G 2012/01/11											

	10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	P							
F	87914-2211	-----	-----	-----	-----	22	----	1	27.94	25.40	10.92	5.84	2.79							F
	87914-2221	-----	-----	-----	-----	22	----	1	27.94	25.40	12.25	7.00	2.96							
	87914-2231	-----	-----	-----	-----	22	----	1	27.94	25.40	13.38	6.09	5.00							
	87914-2212	-----	-----	-----	-----	22	----	2	27.94	25.40	10.92	5.84	2.79							
	87914-2222	-----	-----	-----	-----	22	----	2	27.94	25.40	12.25	7.00	2.96							
	87914-2232	-----	-----	-----	-----	22	----	2	27.94	25.40	13.38	6.09	5.00							
E	87914-2213	-----	-----	-----	-----	22	----	3	27.94	25.40	10.92	5.84	2.79							E
	87914-2223	-----	-----	-----	-----	22	----	3	27.94	25.40	12.25	7.00	2.96							
	87914-2233	-----	-----	-----	-----	22	----	3	27.94	25.40	13.38	6.09	5.00							
	87914-2214	-----	-----	-----	-----	22	----	4	27.94	25.40	10.92	5.84	2.79							
	87914-2224	-----	-----	-----	-----	22	----	4	27.94	25.40	12.25	7.00	2.96							
	87914-2234	-----	-----	-----	-----	22	----	4	27.94	25.40	13.38	6.09	5.00							
D	87914-2215	-----	-----	-----	-----	22	----	5	27.94	25.40	10.92	5.84	2.79							D
	87914-2225	-----	-----	-----	-----	22	----	5	27.94	25.40	12.25	7.00	2.96							
	87914-2235	-----	-----	-----	-----	22	----	5	27.94	25.40	13.38	6.09	5.00							
	87914-2216	-----	-----	-----	-----	22	----	6	27.94	25.40	10.92	5.84	2.79							
	87914-2226	-----	-----	-----	-----	22	----	6	27.94	25.40	12.25	7.00	2.96							
	87914-2236	-----	-----	-----	-----	22	----	6	27.94	25.40	13.38	6.09	5.00							
C																				C
B																				
A							SEE SHEET 14 IEC NO: S2015-1512 DRAWN:RAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS ▽ _F =0 ▽ _E =0 ▽ _P =0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		A		
											DRAWN BY KCHO CHECKED BY PTLIM APPROVED BY MLONG MATERIAL NO. SEE TABLE	DATE 2004/11/05 DATE 2004/12/08 DATE 2010/09/06		TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H						
									4 PLACES	± ---	± ---									
									3 PLACES	± ---	± ---									
									2 PLACES	± 0.20	± ---									
									1 PLACE	± ---	± ---									
									0 PLACE	±	±									
									ANGULAR ± 3 °											
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
									SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
														DOCUMENT NO. SD-87914-013		SHEET NO. 16 OF 45				
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1										

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
F	87914-2411	-----	-----	-----	-----	24	-----	1	30.48	27.94	10.92	5.84	2.79									
	87914-2421	-----	-----	-----	-----	24	-----	1	30.48	27.94	12.25	7.00	2.96									
	87914-2431	-----	-----	-----	-----	24	-----	1	30.48	27.94	13.38	6.09	5.00									
	87914-2412	-----	-----	-----	-----	24	-----	2	30.48	27.94	10.92	5.84	2.79									
	87914-2422	-----	-----	-----	-----	24	-----	2	30.48	27.94	12.25	7.00	2.96									
	87914-2432	-----	-----	-----	-----	24	-----	2	30.48	27.94	13.38	6.09	5.00									
E	87914-2413	-----	-----	-----	-----	24	-----	3	30.48	27.94	10.92	5.84	2.79									
	87914-2423	-----	-----	-----	-----	24	-----	3	30.48	27.94	12.25	7.00	2.96									
	87914-2433	-----	-----	-----	-----	24	-----	3	30.48	27.94	13.38	6.09	5.00									
	87914-2414	-----	-----	-----	-----	24	-----	4	30.48	27.94	10.92	5.84	2.79									
	87914-2424	-----	-----	-----	-----	24	-----	4	30.48	27.94	12.25	7.00	2.96									
	87914-2434	-----	-----	-----	-----	24	-----	4	30.48	27.94	13.38	6.09	5.00									
D	87914-2415	-----	-----	-----	-----	24	-----	5	30.48	27.94	10.92	5.84	2.79									
	87914-2425	-----	-----	-----	-----	24	-----	5	30.48	27.94	12.25	7.00	2.96									
	87914-2435	-----	-----	-----	-----	24	-----	5	30.48	27.94	13.38	6.09	5.00									
	87914-2416	-----	-----	-----	-----	24	-----	6	30.48	27.94	10.92	5.84	2.79									
	87914-2426	-----	-----	-----	-----	24	-----	6	30.48	27.94	12.25	7.00	2.96									
	87914-2436	-----	-----	-----	-----	24	-----	6	30.48	27.94	13.38	6.09	5.00									
C																						
B																						
A	SEE SHEET 14 EC NO: S2015-1512 DRAWN:MRAWAKR / SHINA 2015/06/25 CHK'D:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15							QUALITY SYMBOLS $\nabla_F=0$ $\nabla_F=0$ $\nabla_F=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES $\pm$ --- $\pm$ --- 3 PLACES $\pm$ --- $\pm$ --- 2 PLACES $\pm$ 0.20 $\pm$ --- 1 PLACE $\pm$ --- $\pm$ --- 0 PLACE $\pm$ $\pm$ ANGULAR $\pm$ 3 °			DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		SD-87914-013		SHEET NO. 17 OF 45
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

987654321

	10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
	A	B	F	M	P															
	87914-2611	-----	-----	-----	-----	26	-----	1	33.02	30.48	10.92	5.84	2.79							
	87914-2621	-----	-----	-----	-----	26	-----	1	33.02	30.48	12.25	7.00	2.96							
	87914-2631	-----	-----	-----	-----	26	-----	1	33.02	30.48	13.38	6.09	5.00							
	87914-2612	-----	-----	-----	-----	26	-----	2	33.02	30.48	10.92	5.84	2.79							
	87914-2622	-----	-----	-----	-----	26	-----	2	33.02	30.48	12.25	7.00	2.96							
	87914-2632	-----	-----	-----	-----	26	-----	2	33.02	30.48	13.38	6.09	5.00							
E	87914-2613	-----	-----	-----	-----	26	-----	3	33.02	30.48	10.92	5.84	2.79	E						
	87914-2623	-----	-----	-----	-----	26	-----	3	33.02	30.48	12.25	7.00	2.96							
	87914-2633	-----	-----	-----	-----	26	-----	3	33.02	30.48	13.38	6.09	5.00							
	87914-2614	-----	-----	-----	-----	26	-----	4	33.02	30.48	10.92	5.84	2.79							
	87914-2624	-----	-----	-----	-----	26	-----	4	33.02	30.48	12.25	7.00	2.96							
	87914-2634	-----	-----	-----	-----	26	-----	4	33.02	30.48	13.38	6.09	5.00							
D	87914-2615	-----	-----	-----	-----	26	-----	5	33.02	30.48	10.92	5.84	2.79	D						
	87914-2625	-----	-----	-----	-----	26	-----	5	33.02	30.48	12.25	7.00	2.96							
	87914-2635	-----	-----	-----	-----	26	-----	5	33.02	30.48	13.38	6.09	5.00							
	87914-2616	-----	-----	-----	-----	26	-----	6	33.02	30.48	10.92	5.84	2.79							
	87914-2626	-----	-----	-----	-----	26	-----	6	33.02	30.48	12.25	7.00	2.96							
	87914-2636	-----	-----	-----	-----	26	-----	6	33.02	30.48	13.38	6.09	5.00							
C														C						
B														B						

10		9		8		7		6		5		4		3		2		1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F					
	A	B	F	M	P														
	87914-3011	-----	-----	-----	-----	30	-----	1	38.10	35.56	10.92	5.84	2.79	F					
	87914-3021	-----	-----	-----	-----	30	-----	1	38.10	35.56	12.25	7.00	2.96						
	87914-3031	-----	-----	-----	-----	30	-----	1	38.10	35.56	13.38	6.09	5.00						
	87914-3012	-----	-----	-----	-----	30	-----	2	38.10	35.56	10.92	5.84	2.79	E					
	87914-3022	-----	-----	-----	-----	30	-----	2	38.10	35.56	12.25	7.00	2.96						
	87914-3032	-----	-----	-----	-----	30	-----	2	38.10	35.56	13.38	6.09	5.00						
E	87914-3013	-----	-----	-----	-----	30	-----	3	38.10	35.56	10.92	5.84	2.79	E					
	87914-3023	-----	-----	-----	-----	30	-----	3	38.10	35.56	12.25	7.00	2.96						
	87914-3033	-----	-----	-----	-----	30	-----	3	38.10	35.56	13.38	6.09	5.00						
	87914-3014	-----	-----	-----	-----	30	-----	4	38.10	35.56	10.92	5.84	2.79	D					
	87914-3024	-----	-----	-----	-----	30	-----	4	38.10	35.56	12.25	7.00	2.96						
	87914-3034	-----	-----	-----	-----	30	-----	4	38.10	35.56	13.38	6.09	5.00						
D	87914-3015	-----	-----	-----	-----	30	-----	5	38.10	35.56	10.92	5.84	2.79	D					
	87914-3025	-----	-----	-----	-----	30	-----	5	38.10	35.56	12.25	7.00	2.96						
	87914-3035	-----	-----	-----	-----	30	-----	5	38.10	35.56	13.38	6.09	5.00						
	87914-3016	-----	-----	-----	-----	30	-----	6	38.10	35.56	10.92	5.84	2.79	C					
	87914-3026	-----	-----	-----	-----	30	-----	6	38.10	35.56	12.25	7.00	2.96						
	87914-3036	-----	-----	-----	-----	30	-----	6	38.10	35.56	13.38	6.09	5.00						
C														C					
														B					
B														B					
														A					
SEE SHEET 14 IEC NO: S2015-1512 DRAWN:RAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV		QUALITY SYMBOLS ▽F=0 ▽E=0 ▽P=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE		SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION		TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 20 OF 45		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1	

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-3211	-----	-----	-----	-----	32	-----	1	40.64	38.10	10.92	5.84	2.79	F					
	87914-3221	-----	-----	-----	-----	32	-----	1	40.64	38.10	12.25	7.00	2.96						
	87914-3231	-----	-----	-----	-----	32	-----	1	40.64	38.10	13.38	6.09	5.00						
	87914-3212	-----	-----	-----	-----	32	-----	2	40.64	38.10	10.92	5.84	2.79						
	87914-3222	-----	-----	-----	-----	32	-----	2	40.64	38.10	12.25	7.00	2.96						
	87914-3232	-----	-----	-----	-----	32	-----	2	40.64	38.10	13.38	6.09	5.00						
E	87914-3213	-----	-----	-----	-----	32	-----	3	40.64	38.10	10.92	5.84	2.79	E					
	87914-3223	-----	-----	-----	-----	32	-----	3	40.64	38.10	12.25	7.00	2.96						
	87914-3233	-----	-----	-----	-----	32	-----	3	40.64	38.10	13.38	6.09	5.00						
	87914-3214	-----	-----	-----	-----	32	-----	4	40.64	38.10	10.92	5.84	2.79						
	87914-3224	-----	-----	-----	-----	32	-----	4	40.64	38.10	12.25	7.00	2.96						
	87914-3234	-----	-----	-----	-----	32	-----	4	40.64	38.10	13.38	6.09	5.00						
D	87914-3215	-----	-----	-----	-----	32	-----	5	40.64	38.10	10.92	5.84	2.79	D					
	87914-3225	-----	-----	-----	-----	32	-----	5	40.64	38.10	12.25	7.00	2.96						
	87914-3235	-----	-----	-----	-----	32	-----	5	40.64	38.10	13.38	6.09	5.00						
	87914-3216	-----	-----	-----	-----	32	-----	6	40.64	38.10	10.92	5.84	2.79						
	87914-3226	-----	-----	-----	-----	32	-----	6	40.64	38.10	12.25	7.00	2.96						
	87914-3236	-----	-----	-----	-----	32	-----	6	40.64	38.10	13.38	6.09	5.00						
C														C					
B														B					
A	SEE SHEET 14 IEC NO: S2015-1512 DRAWN:RAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15							QUALITY SYMBOLS ▽ _F =0 ▽ _E =0 ▽ _F =0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex DOCUMENT NO. SD-87914-013 SHEET NO. 21 OF 45			
																		SEE TABLE	
																		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
Ib_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1									

	10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	D							
F	87914-3411	-----	-----	-----	-----	34	-----	1	43.18	40.64	10.92	5.84	2.79							F
	87914-3421	-----	-----	-----	-----	34	-----	1	43.18	40.64	12.25	7.00	2.96							
	87914-3431	-----	-----	-----	-----	34	-----	1	43.18	40.64	13.38	6.09	5.00							
	87914-3412	-----	-----	-----	-----	34	-----	2	43.18	40.64	10.92	5.84	2.79							E
	87914-3422	-----	-----	-----	-----	34	-----	2	43.18	40.64	12.25	7.00	2.96							
	87914-3432	-----	-----	-----	-----	34	-----	2	43.18	40.64	13.38	6.09	5.00							
E	87914-3413	-----	-----	-----	-----	34	-----	3	43.18	40.64	10.92	5.84	2.79							D
	87914-3423	-----	-----	-----	-----	34	-----	3	43.18	40.64	12.25	7.00	2.96							
	87914-3433	-----	-----	-----	-----	34	-----	3	43.18	40.64	13.38	6.09	5.00							
	87914-3414	-----	-----	-----	-----	34	-----	4	43.18	40.64	10.92	5.84	2.79							C
	87914-3424	-----	-----	-----	-----	34	-----	4	43.18	40.64	12.25	7.00	2.96							
	87914-3434	-----	-----	-----	-----	34	-----	4	43.18	40.64	13.38	6.09	5.00							
D	87914-3415	-----	-----	-----	-----	34	-----	5	43.18	40.64	10.92	5.84	2.79							B
	87914-3425	-----	-----	-----	-----	34	-----	5	43.18	40.64	12.25	7.00	2.96							
	87914-3435	-----	-----	-----	-----	34	-----	5	43.18	40.64	13.38	6.09	5.00							
	87914-3416	-----	-----	-----	-----	34	-----	6	43.18	40.64	10.92	5.84	2.79							A
	87914-3426	-----	-----	-----	-----	34	-----	6	43.18	40.64	12.25	7.00	2.96							
	87914-3436	-----	-----	-----	-----	34	-----	6	43.18	40.64	13.38	6.09	5.00							
C																				
B																				
A									QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
	SEE SHEET 14 IEC NO: S2015-1512 DRW:NRAMAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV								F ₀ =0		4 PLACES ± --- ± ---		DRAWN BY DATE KCHO 2004/11/05		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H					
									F ₀ =0		3 PLACES ± --- ± ---		CHECKED BY DATE PTLIM 2004/12/08							
									F ₀ =0		2 PLACES ± 0.20 ± ---		APPROVED BY DATE MLONG 2010/09/06		molex					
											1 PLACE ± --- ± ---		MATERIAL NO.							DOCUMENT NO.
											0 PLACE ± ±		SEE TABLE		SD-87914-013		22 OF 45			
									ANGULAR ± 3 °											
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1		

10		9		8		7		6		5		4		3		2		1																																																																																										
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																				
								A	B	F	M	P																																																																																																
F	87914-3811	-----	-----	-----	-----	38	----	1	48.26	45.72	10.92	5.84	2.79																																																																																															
	87914-3821	-----	-----	-----	-----	38	----	1	48.26	45.72	12.25	7.00	2.96																																																																																															
	87914-3831	-----	-----	-----	-----	38	----	1	48.26	45.72	13.38	6.09	5.00																																																																																															
	87914-3812	-----	-----	-----	-----	38	----	2	48.26	45.72	10.92	5.84	2.79																																																																																															
	87914-3822	-----	-----	-----	-----	38	----	2	48.26	45.72	12.25	7.00	2.96																																																																																															
	87914-3832	-----	-----	-----	-----	38	----	2	48.26	45.72	13.38	6.09	5.00																																																																																															
E	87914-3813	-----	-----	-----	-----	38	----	3	48.26	45.72	10.92	5.84	2.79																																																																																															
	87914-3823	-----	-----	-----	-----	38	----	3	48.26	45.72	12.25	7.00	2.96																																																																																															
	87914-3833	-----	-----	-----	-----	38	----	3	48.26	45.72	13.38	6.09	5.00																																																																																															
	87914-3814	-----	-----	-----	-----	38	----	4	48.26	45.72	10.92	5.84	2.79																																																																																															
	87914-3824	-----	-----	-----	-----	38	----	4	48.26	45.72	12.25	7.00	2.96																																																																																															
	87914-3834	-----	-----	-----	-----	38	----	4	48.26	45.72	13.38	6.09	5.00																																																																																															
D	87914-3815	-----	-----	-----	-----	38	----	5	48.26	45.72	10.92	5.84	2.79																																																																																															
	87914-3825	-----	-----	-----	-----	38	----	5	48.26	45.72	12.25	7.00	2.96																																																																																															
	87914-3835	-----	-----	-----	-----	38	----	5	48.26	45.72	13.38	6.09	5.00																																																																																															
	87914-3816	-----	-----	-----	-----	38	----	6	48.26	45.72	10.92	5.84	2.79																																																																																															
	87914-3826	-----	-----	-----	-----	38	----	6	48.26	45.72	12.25	7.00	2.96																																																																																															
	87914-3836	-----	-----	-----	-----	38	----	6	48.26	45.72	13.38	6.09	5.00																																																																																															
C																																																																																																												
B																																																																																																												
A	<table><tr><td rowspan="2">SEE SHEET 14 EC NO: S2015-1512 DRAWN:MAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15</td><td rowspan="2">QUALITY SYMBOLS =0 =0 =0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2">molex</td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td></tr></table>																		SEE SHEET 14 EC NO: S2015-1512 DRAWN:MAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H									molex																																																							
	SEE SHEET 14 EC NO: S2015-1512 DRAWN:MAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																			
								2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H																																																																																																				
								molex																																																																																																				

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

10		9		8		7		6		5		4		3		2		1		
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
								A	B	F	M	P								
F	87914-4011	-----	-----	-----	-----	40	-----	1	50.80	48.26	10.92	5.84	2.79							
	87914-4021	-----	-----	-----	-----	40	-----	1	50.80	48.26	12.25	7.00	2.96							
	87914-4031	-----	-----	-----	-----	40	-----	1	50.80	48.26	13.38	6.09	5.00							
	87914-4012	-----	-----	-----	-----	40	-----	2	50.80	48.26	10.92	5.84	2.79							
	87914-4022	-----	-----	-----	-----	40	-----	2	50.80	48.26	12.25	7.00	2.96							
	87914-4032	-----	-----	-----	-----	40	-----	2	50.80	48.26	13.38	6.09	5.00							
E	87914-4013	-----	-----	-----	-----	40	-----	3	50.80	48.26	10.92	5.84	2.79							
	87914-4023	-----	-----	-----	-----	40	-----	3	50.80	48.26	12.25	7.00	2.96							
	87914-4033	-----	-----	-----	-----	40	-----	3	50.80	48.26	13.38	6.09	5.00							
	87914-4014	-----	-----	-----	-----	40	-----	4	50.80	48.26	10.92	5.84	2.79							
	87914-4024	-----	-----	-----	-----	40	-----	4	50.80	48.26	12.25	7.00	2.96							
	87914-4034	-----	-----	-----	-----	40	-----	4	50.80	48.26	13.38	6.09	5.00							
D	87914-4015	-----	-----	-----	-----	40	-----	5	50.80	48.26	10.92	5.84	2.79							
	87914-4025	-----	-----	-----	-----	40	-----	5	50.80	48.26	12.25	7.00	2.96							
	87914-4035	-----	-----	-----	-----	40	-----	5	50.80	48.26	13.38	6.09	5.00							
	87914-4016	-----	-----	-----	-----	40	-----	6	50.80	48.26	10.92	5.84	2.79							
	87914-4026	-----	-----	-----	-----	40	-----	6	50.80	48.26	12.25	7.00	2.96							
	87914-4036	-----	-----	-----	-----	40	-----	6	50.80	48.26	13.38	6.09	5.00							
C																				
B																				
A	SEE SHEET 14 EC NO: S2015-1512 DRAWN: MRAKRI / SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15							QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		
	4 PLACES ± --- ± ---			DRAWN BY DATE KCHO 2004/11/05		TITLE														
	3 PLACES ± --- ± ---			CHECKED BY DATE PTL IM 2004/12/08																
	2 PLACES ± 0.20 ± ---			APPROVED BY DATE MLONG 2010/09/06		MATERIAL NO.			DOCUMENT NO.		SHEET NO.									
	1 PLACE ± --- ± ---			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE			SD-87914-013		25 OF 45									
	0 PLACE ± ±																			
	ANGULAR ± 3 °																			
	SIZE A3																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1			
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION													
								A	B	F	M	P									
F	87914-4211	-----	-----	-----	-----	42	----	1	53.34	50.80	10.92	5.84	2.79								
	87914-4221	-----	-----	-----	-----	42	----	1	53.34	50.80	12.25	7.00	2.96								
	87914-4212	-----	-----	-----	-----	42	----	2	53.34	50.80	10.92	5.84	2.79								
	87914-4222	-----	-----	-----	-----	42	----	2	53.34	50.80	12.25	7.00	2.96								
	87914-4213	-----	-----	-----	-----	42	----	3	53.34	50.80	10.92	5.84	2.79								
	87914-4223	-----	-----	-----	-----	42	----	3	53.34	50.80	12.25	7.00	2.96								
E	87914-4214	-----	-----	-----	-----	42	----	4	53.34	50.80	10.92	5.84	2.79								
	87914-4224	-----	-----	-----	-----	42	----	4	53.34	50.80	12.25	7.00	2.96								
	87914-4215	-----	-----	-----	-----	42	----	5	53.34	50.80	10.92	5.84	2.79								
	87914-4225	-----	-----	-----	-----	42	----	5	53.34	50.80	12.25	7.00	2.96								
D	87914-4216	-----	-----	-----	-----	42	----	6	53.34	50.80	10.92	5.84	2.79								
	87914-4226	-----	-----	-----	-----	42	----	6	53.34	50.80	12.25	7.00	2.96								
C																					
B																					
A																					
SEE SHEET 14		EC NO: S2015-1512		DRWN:MRAMAKRI SHINA 2015/06/25		CHKD:ATSEE 2015/06/25		APPR:KPRASAD 2015/07/15		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
D15										F=0		mm INCH		MM ONLY		NTS		METRIC		2.54MM PITCH	
										F=0		4 PLACES ± --- ± ---		DRAWN BY DATE		TITLE				DUAL ROW HEADER	
										F=0		3 PLACES ± --- ± ---		CHECKED BY DATE						SINGLE WAFER, T/H	
										F=0		2 PLACES ± 0.20 ± ---		PTL IM 2004/12/08						molex	
												1 PLACE ± --- ± ---		APPROVED BY DATE							
												0 PLACE ± ±		MLONG 2010/09/06							
												ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.				SHEET NO.	
												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-013				26 OF 45	
												SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9		8		7		6		5		4		3		2		1			

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F						
								A	B	F	M	P							
F	87914-4411	-----	-----	-----	-----	44	----	1	55.88	53.34	10.92	5.84	2.79	F					
	87914-4421	-----	-----	-----	-----	44	----	1	55.88	53.34	12.25	7.00	2.96						
	87914-4412	-----	-----	-----	-----	44	----	2	55.88	53.34	10.92	5.84	2.79						
	87914-4422	-----	-----	-----	-----	44	----	2	55.88	53.34	12.25	7.00	2.96						
	87914-4413	-----	-----	-----	-----	44	----	3	55.88	53.34	10.92	5.84	2.79						
E	87914-4423	-----	-----	-----	-----	44	----	3	55.88	53.34	12.25	7.00	2.96	E					
	87914-4414	-----	-----	-----	-----	44	----	4	55.88	53.34	10.92	5.84	2.79						
	87914-4424	-----	-----	-----	-----	44	----	4	55.88	53.34	12.25	7.00	2.96						
	87914-4415	-----	-----	-----	-----	44	----	5	55.88	53.34	10.92	5.84	2.79						
	87914-4425	-----	-----	-----	-----	44	----	5	55.88	53.34	12.25	7.00	2.96						
D	87914-4416	-----	-----	-----	-----	44	----	6	55.88	53.34	10.92	5.84	2.79	D					
	87914-4426	-----	-----	-----	-----	44	----	6	55.88	53.34	12.25	7.00	2.96						
C														C					
B														B					
A														A					

SEE SHEET 14 IEC NO: S2015-1512 DRAWN:PRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 D15	DESCRIPTION REV	QUALITY SYMBOLS ▽F=0 ▽E=0 ▽P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		DOCUMENT NO. SD-87914-013 SHEET NO. 27 OF 45		
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05							
			4 PLACES	± ---	± ---	CHECKED BY	DATE 2004/12/08							
			3 PLACES	± ---	± ---	PTL IM	DATE							
			2 PLACES	± 0.20	± ---	APPROVED BY	DATE							
			1 PLACE	± ---	± ---	MLONG	2010/09/06							
			0 PLACE	±	±	MATERIAL NO.								
			ANGULAR ± 3 °			SEE TABLE								
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
F	87914-4611	-----	-----	-----	-----	46	-----	1	58.42	55.88	10.92	5.84	2.79									
	87914-4621	-----	-----	-----	-----	46	-----	1	58.42	55.88	12.25	7.00	2.96									
	87914-4612	-----	-----	-----	-----	46	-----	2	58.42	55.88	10.92	5.84	2.79									
	87914-4622	-----	-----	-----	-----	46	-----	2	58.42	55.88	12.25	7.00	2.96									
	87914-4613	-----	-----	-----	-----	46	-----	3	58.42	55.88	10.92	5.84	2.79									
	87914-4623	-----	-----	-----	-----	46	-----	3	58.42	55.88	12.25	7.00	2.96									
E	87914-4614	-----	-----	-----	-----	46	-----	4	58.42	55.88	10.92	5.84	2.79									
	87914-4624	-----	-----	-----	-----	46	-----	4	58.42	55.88	12.25	7.00	2.96									
	87914-4615	-----	-----	-----	-----	46	-----	5	58.42	55.88	10.92	5.84	2.79									
	87914-4625	-----	-----	-----	-----	46	-----	5	58.42	55.88	12.25	7.00	2.96									
	87914-4616	-----	-----	-----	-----	46	-----	6	58.42	55.88	10.92	5.84	2.79									
	87914-4626	-----	-----	-----	-----	46	-----	6	58.42	55.88	12.25	7.00	2.96									
D																						
C																						
B																						
A	SEE SHEET 14		EC NO: S2015-1512		DRAWN: MRAKRI SHINA 2015/06/25		CHKD: ATSEE 2015/06/25		APPR: KPRASAD 2015/07/15		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
															MM ONLY		NTS		METRIC			
															DRAWN BY		DATE		TITLE			
															KCHO		2004/11/05					
															CHECKED BY		DATE					
															PTL IM		2004/12/08					
															APPROVED BY		DATE					
															MLONG		2010/09/06					
															MATERIAL NO.				DOCUMENT NO.		SHEET NO.	
															SEE TABLE				SD-87914-013		28 OF 45	
														SIZE				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
A3																						
D15																						

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1		
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
	A	B	F	M	P															
	87914-4811	-----	-----	-----	-----	48	----	1	60.96	58.42	10.92	5.84	2.79							
	87914-4821	-----	-----	-----	-----	48	----	1	60.96	58.42	12.25	7.00	2.96							
	87914-4812	-----	-----	-----	-----	48	----	2	60.96	58.42	10.92	5.84	2.79							
	87914-4822	-----	-----	-----	-----	48	----	2	60.96	58.42	12.25	7.00	2.96							
	87914-4813	-----	-----	-----	-----	48	----	3	60.96	58.42	10.92	5.84	2.79							
	87914-4823	-----	-----	-----	-----	48	----	3	60.96	58.42	12.25	7.00	2.96							
E	87914-4814	-----	-----	-----	-----	48	----	4	60.96	58.42	10.92	5.84	2.79							
	87914-4824	-----	-----	-----	-----	48	----	4	60.96	58.42	12.25	7.00	2.96							
	87914-4815	-----	-----	-----	-----	48	----	5	60.96	58.42	10.92	5.84	2.79							
	87914-4825	-----	-----	-----	-----	48	----	5	60.96	58.42	12.25	7.00	2.96							
	87914-4816	-----	-----	-----	-----	48	----	6	60.96	58.42	10.92	5.84	2.79							
	87914-4826	-----	-----	-----	-----	48	----	6	60.96	58.42	12.25	7.00	2.96							
D																				

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-5011	-----	-----	-----	-----	50	-----	1	63.50	60.96	10.92	5.84	2.79						
	87914-5021	-----	-----	-----	-----	50	-----	1	63.50	60.96	12.25	7.00	2.96						
	87914-5012	-----	-----	-----	-----	50	-----	2	63.50	60.96	10.92	5.84	2.79						
	87914-5022	-----	-----	-----	-----	50	-----	2	63.50	60.96	12.25	7.00	2.96						
	87914-5013	-----	-----	-----	-----	50	-----	3	63.50	60.96	10.92	5.84	2.79						
E	87914-5023	-----	-----	-----	-----	50	-----	3	63.50	60.96	12.25	7.00	2.96						
	87914-5014	-----	-----	-----	-----	50	-----	4	63.50	60.96	10.92	5.84	2.79						
	87914-5024	-----	-----	-----	-----	50	-----	4	63.50	60.96	12.25	7.00	2.96						
	87914-5015	-----	-----	-----	-----	50	-----	5	63.50	60.96	10.92	5.84	2.79						
	87914-5025	-----	-----	-----	-----	50	-----	5	63.50	60.96	12.25	7.00	2.96						
D	87914-5016	-----	-----	-----	-----	50	-----	6	63.50	60.96	10.92	5.84	2.79						
	87914-5026	-----	-----	-----	-----	50	-----	6	63.50	60.96	12.25	7.00	2.96						
	87914-0002	-----	-----	-----	-----	50	-----	8	63.50	60.96	18.54	11.58	4.47						
C																			
B																			
A																			

SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		4 PLACES 3 PLACES 2 PLACES 1 PLACE 0 PLACE	mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex				
			± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08					
			± 0.20	± ---	APPROVED BY MLONG	DATE 2010/09/06					
			± ---	± ---	MATERIAL NO.	DOCUMENT NO.					
			±	±	SEE TABLE						SD-87914-013
		ANGULAR ± 3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---

	10		9		8		7		6		5		4		3		2		1											
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F																
	A	B	F	M	P																									
	87914-5211	-----	-----	-----	-----	52	-----	1	66.04	63.50	10.92	5.84	2.79																	
	87914-5221	-----	-----	-----	-----	52	-----	1	66.04	63.50	12.25	7.00	2.96																	
	87914-5212	-----	-----	-----	-----	52	-----	2	66.04	63.50	10.92	5.84	2.79																	
	87914-5222	-----	-----	-----	-----	52	-----	2	66.04	63.50	12.25	7.00	2.96																	
	87914-5213	-----	-----	-----	-----	52	-----	3	66.04	63.50	10.92	5.84	2.79																	
	87914-5223	-----	-----	-----	-----	52	-----	3	66.04	63.50	12.25	7.00	2.96																	
E	87914-5214	-----	-----	-----	-----	52	-----	4	66.04	63.50	10.92	5.84	2.79	E																
	87914-5224	-----	-----	-----	-----	52	-----	4	66.04	63.50	12.25	7.00	2.96																	
	87914-5215	-----	-----	-----	-----	52	-----	5	66.04	63.50	10.92	5.84	2.79																	
	87914-5225	-----	-----	-----	-----	52	-----	5	66.04	63.50	12.25	7.00	2.96																	
	87914-5216	-----	-----	-----	-----	52	-----	6	66.04	63.50	10.92	5.84	2.79																	
	87914-5226	-----	-----	-----	-----	52	-----	6	66.04	63.50	12.25	7.00	2.96																	
D														D																
C														C																
B														B																
A									SEE SHEET 14 IEC NO: S2015-1512 DRW:NRAMAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO.		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		DOCUMENT NO. SD-87914-013		SHEET NO. 31 OF 45		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	fb_frame_A3_P_AM_T Rev. G 2012/01/11								9		8		7		6		5		4		3		2		1					

	10		9		8		7		6		5		4		3		2		1
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										
	A	B	F	M	P														
	87914-5411	-----	-----	-----	-----	54	-----	1	68.58	66.04	10.92	5.84	2.79						
	87914-5421	-----	-----	-----	-----	54	-----	1	68.58	66.04	12.25	7.00	2.96						
	87914-5412	-----	-----	-----	-----	54	-----	2	68.58	66.04	10.92	5.84	2.79						
	87914-5422	-----	-----	-----	-----	54	-----	2	68.58	66.04	12.25	7.00	2.96						
	87914-5413	-----	-----	-----	-----	54	-----	3	68.58	66.04	10.92	5.84	2.79						
	87914-5423	-----	-----	-----	-----	54	-----	3	68.58	66.04	12.25	7.00	2.96						
E	87914-5414	-----	-----	-----	-----	54	-----	4	68.58	66.04	10.92	5.84	2.79						
	87914-5424	-----	-----	-----	-----	54	-----	4	68.58	66.04	12.25	7.00	2.96						
	87914-5415	-----	-----	-----	-----	54	-----	5	68.58	66.04	10.92	5.84	2.79						
	87914-5425	-----	-----	-----	-----	54	-----	5	68.58	66.04	12.25	7.00	2.96						
	87914-5416	-----	-----	-----	-----	54	-----	6	68.58	66.04	10.92	5.84	2.79						
	87914-5426	-----	-----	-----	-----	54	-----	6	68.58	66.04	12.25	7.00	2.96						
D																			
C																			
B																			

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
									A	B	F	M	P								
F	87914-5611	-----	-----	-----	-----	56	-----	1	71.12	68.58	10.92	5.84	2.79								
	87914-5621	-----	-----	-----	-----	56	-----	1	71.12	68.58	12.25	7.00	2.96								
	87914-5612	-----	-----	-----	-----	56	-----	2	71.12	68.58	10.92	5.84	2.79								
	87914-5622	-----	-----	-----	-----	56	-----	2	71.12	68.58	12.25	7.00	2.96								
	87914-5613	-----	-----	-----	-----	56	-----	3	71.12	68.58	10.92	5.84	2.79								
	87914-5623	-----	-----	-----	-----	56	-----	3	71.12	68.58	12.25	7.00	2.96								
E	87914-5614	-----	-----	-----	-----	56	-----	4	71.12	68.58	10.92	5.84	2.79								
	87914-5624	-----	-----	-----	-----	56	-----	4	71.12	68.58	12.25	7.00	2.96								
	87914-5615	-----	-----	-----	-----	56	-----	5	71.12	68.58	10.92	5.84	2.79								
	87914-5625	-----	-----	-----	-----	56	-----	5	71.12	68.58	12.25	7.00	2.96								
D	87914-5616	-----	-----	-----	-----	56	-----	6	71.12	68.58	10.92	5.84	2.79								
	87914-5626	-----	-----	-----	-----	56	-----	6	71.12	68.58	12.25	7.00	2.96								
C																					
B																					
A	SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAWAKR / SHINA 2015/06/25 CHK'D:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15		DESCRIPTION	REV	QUALITY SYMBOLS 																

10		9		8		7		6		5		4		3		2		1		
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
								A	B	F	M	P								
F	87914-5811	-----	-----	-----	-----	58	-----	1	73.66	71.12	10.92	5.84	2.79							
	87914-5821	-----	-----	-----	-----	58	-----	1	73.66	71.12	12.25	7.00	2.96							
	87914-5812	-----	-----	-----	-----	58	-----	2	73.66	71.12	10.92	5.84	2.79							
	87914-5822	-----	-----	-----	-----	58	-----	2	73.66	71.12	12.25	7.00	2.96							
	87914-5813	-----	-----	-----	-----	58	-----	3	73.66	71.12	10.92	5.84	2.79							
	87914-5823	-----	-----	-----	-----	58	-----	3	73.66	71.12	12.25	7.00	2.96							
E	87914-5814	-----	-----	-----	-----	58	-----	4	73.66	71.12	10.92	5.84	2.79							
	87914-5824	-----	-----	-----	-----	58	-----	4	73.66	71.12	12.25	7.00	2.96							
	87914-5815	-----	-----	-----	-----	58	-----	5	73.66	71.12	10.92	5.84	2.79							
	87914-5825	-----	-----	-----	-----	58	-----	5	73.66	71.12	12.25	7.00	2.96							
	87914-5816	-----	-----	-----	-----	58	-----	6	73.66	71.12	10.92	5.84	2.79							
	87914-5826	-----	-----	-----	-----	58	-----	6	73.66	71.12	12.25	7.00	2.96							
D																				
C																				
B																				
A	SEE SHEET 14 EC NO: SZ015-1512 DRAWN: MRAKRI / SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15							QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		SHEET NO. 34 OF 45	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

987654321

	10		9		8		7		6		5		4		3		2		1
F	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F					
	A	B	F	M	P														
	87914-6011	-----	-----	-----	-----	60	----	1	76.20	73.66	10.92	5.84	2.79						
	87914-6021	-----	-----	-----	-----	60	----	1	76.20	73.66	12.25	7.00	2.96						
	87914-6012	-----	-----	-----	-----	60	----	2	76.20	73.66	10.92	5.84	2.79						
	87914-6022	-----	-----	-----	-----	60	----	2	76.20	73.66	12.25	7.00	2.96						
	87914-6013	-----	-----	-----	-----	60	----	3	76.20	73.66	10.92	5.84	2.79						
	87914-6023	-----	-----	-----	-----	60	----	3	76.20	73.66	12.25	7.00	2.96						
E	87914-6014	-----	-----	-----	-----	60	----	4	76.20	73.66	10.92	5.84	2.79	E					
	87914-6024	-----	-----	-----	-----	60	----	4	76.20	73.66	12.25	7.00	2.96						
	87914-6015	-----	-----	-----	-----	60	----	5	76.20	73.66	10.92	5.84	2.79						
	87914-6025	-----	-----	-----	-----	60	----	5	76.20	73.66	12.25	7.00	2.96						
	87914-6016	-----	-----	-----	-----	60	----	6	76.20	73.66	10.92	5.84	2.79						
	87914-6026	-----	-----	-----	-----	60	----	6	76.20	73.66	12.25	7.00	2.96						
D														D					
C														C					
B														B					
	</																		

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-6211	-----	-----	-----	-----	62	----	1	78.74	76.20	10.92	5.84	2.79	F					
	87914-6221	-----	-----	-----	-----	62	----	1	78.74	76.20	12.25	7.00	2.96						
	87914-6212	-----	-----	-----	-----	62	----	2	78.74	76.20	10.92	5.84	2.79						
	87914-6222	-----	-----	-----	-----	62	----	2	78.74	76.20	12.25	7.00	2.96						
	87914-6213	-----	-----	-----	-----	62	----	3	78.74	76.20	10.92	5.84	2.79						
	87914-6223	-----	-----	-----	-----	62	----	3	78.74	76.20	12.25	7.00	2.96						
E	87914-6214	-----	-----	-----	-----	62	----	4	78.74	76.20	10.92	5.84	2.79	E					
	87914-6224	-----	-----	-----	-----	62	----	4	78.74	76.20	12.25	7.00	2.96						
	87914-6215	-----	-----	-----	-----	62	----	5	78.74	76.20	10.92	5.84	2.79						
	87914-6225	-----	-----	-----	-----	62	----	5	78.74	76.20	12.25	7.00	2.96						
	87914-6216	-----	-----	-----	-----	62	----	6	78.74	76.20	10.92	5.84	2.79						
	87914-6226	-----	-----	-----	-----	62	----	6	78.74	76.20	12.25	7.00	2.96						
D														D					
C														C					
B														B					
A														A					
										QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
SEE SHEET 14 IEC NO: S2015-1512 DRW: NARAYAKRISHNA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15 REV										$\nabla_F = 0$		4 PLACES $\pm$ --- $\pm$ ---		DRAWN BY DATE KCHO 2004/11/05		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
										$\nabla_F = 0$		3 PLACES $\pm$ --- $\pm$ ---		CHECKED BY DATE PTLIM 2004/12/08					
										$\nabla_F = 0$		2 PLACES $\pm$ 0.20 $\pm$ ---		APPROVED BY DATE MLONG 2010/09/06		molex			
												1 PLACE $\pm$ --- $\pm$ ---		MATERIAL NO.					
												0 PLACE $\pm$ $\pm$		ANGULAR $\pm$ 3 °		SEE TABLE			
										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
fb_frame_A3_P_AM_T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1									

	10		9		8		7		6		5		4		3		2		1																																																																																		
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																												
									A	B	F	M	P																																																																																								
F	87914-6411	-----	-----	-----	-----	64	----	1	81.28	78.74	10.92	5.84	2.79								F																																																																																
	87914-6421	-----	-----	-----	-----	64	----	1	81.28	78.74	12.25	7.00	2.96																																																																																								
	87914-6412	-----	-----	-----	-----	64	----	2	81.28	78.74	10.92	5.84	2.79																																																																																								
	87914-6422	-----	-----	-----	-----	64	----	2	81.28	78.74	12.25	7.00	2.96																																																																																								
	87914-6413	-----	-----	-----	-----	64	----	3	81.28	78.74	10.92	5.84	2.79																																																																																								
	87914-6423	-----	-----	-----	-----	64	----	3	81.28	78.74	12.25	7.00	2.96																																																																																								
E	87914-6414	-----	-----	-----	-----	64	----	4	81.28	78.74	10.92	5.84	2.79								E																																																																																
	87914-6424	-----	-----	-----	-----	64	----	4	81.28	78.74	12.25	7.00	2.96																																																																																								
	87914-6415	-----	-----	-----	-----	64	----	5	81.28	78.74	10.92	5.84	2.79																																																																																								
	87914-6425	-----	-----	-----	-----	64	----	5	81.28	78.74	12.25	7.00	2.96																																																																																								
	87914-6416	-----	-----	-----	-----	64	----	6	81.28	78.74	10.92	5.84	2.79																																																																																								
	87914-6426	-----	-----	-----	-----	64	----	6	81.28	78.74	12.25	7.00	2.96																																																																																								
D																					D																																																																																
C																					C																																																																																
B																					B																																																																																
A																					A																																																																																
<table><tr><td rowspan="5">SEE SHEET 14 EC NO: SZ015-1512 DRAWN:MRAMAKRISHNA 2015/06/25 CHK'D:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15</td><td rowspan="5">QUALITY SYMBOLS =0 =0 =0 </td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2"> THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY</td><td>DATE</td><td colspan="2">TITLE</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>KCHO</td><td>2004/11/05</td><td colspan="2" rowspan="3">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY</td><td>DATE</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± ---</td><td>PTL IM</td><td>2004/12/08</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td>APPROVED BY</td><td>DATE</td><td colspan="2" rowspan="2">SD-87914-013</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td><td>MLONG</td><td>2010/09/06</td></tr><tr><td colspan="2">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2"></td><td>37 OF 45</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="19">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																					SEE SHEET 14 EC NO: SZ015-1512 DRAWN:MRAMAKRISHNA 2015/06/25 CHK'D:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY	DATE	TITLE		4 PLACES	± ---	± ---	KCHO	2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		3 PLACES	± ---	± ---	CHECKED BY	DATE	2 PLACES	± 0.20	± ---	PTL IM	2004/12/08	1 PLACE	± ---	± ---	APPROVED BY	DATE	SD-87914-013		0 PLACE	±	±	MLONG	2010/09/06	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE				37 OF 45	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
SEE SHEET 14 EC NO: SZ015-1512 DRAWN:MRAMAKRISHNA 2015/06/25 CHK'D:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV D15	QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																													
			mm	INCH	DRAWN BY	DATE	TITLE																																																																																														
		4 PLACES	± ---	± ---	KCHO	2004/11/05	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex																																																																																														
		3 PLACES	± ---	± ---	CHECKED BY	DATE																																																																																															
		2 PLACES	± 0.20	± ---	PTL IM	2004/12/08																																																																																															
1 PLACE	± ---	± ---	APPROVED BY	DATE	SD-87914-013																																																																																																
0 PLACE	±	±	MLONG	2010/09/06																																																																																																	
ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																																															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE				37 OF 45																																																																																															
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																			

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
F	87914-6611	-----	-----	-----	-----	66	----	1	83.82	81.28	10.92	5.84	2.79						
	87914-6621	-----	-----	-----	-----	66	----	1	83.82	81.28	12.25	7.00	2.96						
	87914-6612	-----	-----	-----	-----	66	----	2	83.82	81.28	10.92	5.84	2.79						
	87914-6622	-----	-----	-----	-----	66	----	2	83.82	81.28	12.25	7.00	2.96						
	87914-6613	-----	-----	-----	-----	66	----	3	83.82	81.28	10.92	5.84	2.79						
	87914-6623	-----	-----	-----	-----	66	----	3	83.82	81.28	12.25	7.00	2.96						
E	87914-6614	-----	-----	-----	-----	66	----	4	83.82	81.28	10.92	5.84	2.79						
	87914-6624	-----	-----	-----	-----	66	----	4	83.82	81.28	12.25	7.00	2.96						
	87914-6615	-----	-----	-----	-----	66	----	5	83.82	81.28	10.92	5.84	2.79						
	87914-6625	-----	-----	-----	-----	66	----	5	83.82	81.28	12.25	7.00	2.96						
	87914-6616	-----	-----	-----	-----	66	----	6	83.82	81.28	10.92	5.84	2.79						
	87914-6626	-----	-----	-----	-----	66	----	6	83.82	81.28	12.25	7.00	2.96						
D																			
C																			
B																			
A	SEE SHEET 14 EC NO: S2015-1512 DRAWN:MRAMAKRISHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV DESCRIPTION QUALITY SYMBOLS F=0 F=0 F=0 GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SIZE A3							DIMENSION STYLE MM ONLY		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex		SHEET NO. 38 OF 45	
								DRAWN BY KCHO		DATE 2004/11/05		TITLE							
								CHECKED BY PTLIM		DATE 2004/12/08									
								APPROVED BY MLONG		DATE 2010/09/06									
								MATERIAL NO.		DOCUMENT NO.									
								SEE TABLE		SD-87914-013									

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

982176

9

8

7

6

5

4

3

2

1

[illegible]

10		9		8		7		6		5		4		3		2		1		
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION												
								A	B	F	M	P								
F	87914-7011	-----	-----	-----	-----	70	-----	1	88.90	86.36	10.92	5.84	2.79							
	87914-7021	-----	-----	-----	-----	70	-----	1	88.90	86.36	12.25	7.00	2.96							
	87914-7012	-----	-----	-----	-----	70	-----	2	88.90	86.36	10.92	5.84	2.79							
	87914-7022	-----	-----	-----	-----	70	-----	2	88.90	86.36	12.25	7.00	2.96							
	87914-7013	-----	-----	-----	-----	70	-----	3	88.90	86.36	10.92	5.84	2.79							
	87914-7023	-----	-----	-----	-----	70	-----	3	88.90	86.36	12.25	7.00	2.96							
E	87914-7014	-----	-----	-----	-----	70	-----	4	88.90	86.36	10.92	5.84	2.79							
	87914-7024	-----	-----	-----	-----	70	-----	4	88.90	86.36	12.25	7.00	2.96							
	87914-7015	-----	-----	-----	-----	70	-----	5	88.90	86.36	10.92	5.84	2.79							
	87914-7025	-----	-----	-----	-----	70	-----	5	88.90	86.36	12.25	7.00	2.96							
	87914-7016	-----	-----	-----	-----	70	-----	6	88.90	86.36	10.92	5.84	2.79							
	87914-7026	-----	-----	-----	-----	70	-----	6	88.90	86.36	12.25	7.00	2.96							
D																				
C																				
B																				
A	SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV DESCRIPTION							QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
									mm		INCH		DRAWN BY DATE		2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex					
									4 PLACES ± --- ± ---		KCHO 2004/11/05									
									3 PLACES ± --- ± ---		CHECKED BY DATE									
									2 PLACES ± 0.20 ± ---		PTL IM 2004/12/08									
									1 PLACE ± --- ± ---		APPROVED BY DATE									
									0 PLACE ± ±		MLONG 2010/09/06		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-87914-013				40 OF 45		
									SIZE A3			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

[illegible]

10		9		8		7		6		5		4		3		2		1																				
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																														
								A	B	F	M	P																										
F	87914-7411	-----	-----	-----	-----	74	-----	1	93.98	91.44	10.92	5.84	2.79																									
	87914-7421	-----	-----	-----	-----	74	-----	1	93.98	91.44	12.25	7.00	2.96																									
	87914-7412	-----	-----	-----	-----	74	-----	2	93.98	91.44	10.92	5.84	2.79																									
	87914-7422	-----	-----	-----	-----	74	-----	2	93.98	91.44	12.25	7.00	2.96																									
	87914-7413	-----	-----	-----	-----	74	-----	3	93.98	91.44	10.92	5.84	2.79																									
E	87914-7423	-----	-----	-----	-----	74	-----	3	93.98	91.44	12.25	7.00	2.96																									
	87914-7414	-----	-----	-----	-----	74	-----	4	93.98	91.44	10.92	5.84	2.79																									
	87914-7424	-----	-----	-----	-----	74	-----	4	93.98	91.44	12.25	7.00	2.96																									
	87914-7415	-----	-----	-----	-----	74	-----	5	93.98	91.44	10.92	5.84	2.79																									
	87914-7425	-----	-----	-----	-----	74	-----	5	93.98	91.44	12.25	7.00	2.96																									
D	87914-7416	-----	-----	-----	-----	74	-----	6	93.98	91.44	10.92	5.84	2.79																									
	87914-7426	-----	-----	-----	-----	74	-----	6	93.98	91.44	12.25	7.00	2.96																									
C																																						
B																																						
A																																						
<table><tr><td rowspan="5">SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV</td><td rowspan="5">QUALITY SYMBOLS F=0 F=0 F=0</td><td rowspan="5">GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td rowspan="5">DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE</td><td rowspan="5">SCALE NTS</td><td rowspan="5">DESIGN UNITS METRIC</td><td rowspan="5">THIRD ANGLE PROJECTION</td><td colspan="2">2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</td><td rowspan="5">molex</td><td rowspan="5">DOCUMENT NO. SD-87914-013</td><td rowspan="5">SHEET NO. 42 OF 45</td></tr><tr><td colspan="2"></td></tr><tr><td colspan="2"></td></tr><tr><td colspan="2"></td></tr><tr><td colspan="2"></td></tr></table>																			SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H		molex	DOCUMENT NO. SD-87914-013	SHEET NO. 42 OF 45								
SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAMAKRI SHINA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTLIM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06 MATERIAL NO. SEE TABLE	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H		molex	DOCUMENT NO. SD-87914-013	SHEET NO. 42 OF 45																											
fb_frame_A3_P_AM_T Rev. G 2012/01/11																																						

10		9		8		7		6		5		4		3		2		1	
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	C	D	E							
F	87914-7611	-----	-----	-----	-----	76	-----	1	96.52	93.98	10.92	5.84	2.79						
	87914-7621	-----	-----	-----	-----	76	-----	1	96.52	93.98	12.25	7.00	2.96						
	87914-7612	-----	-----	-----	-----	76	-----	2	96.52	93.98	10.92	5.84	2.79						
	87914-7622	-----	-----	-----	-----	76	-----	2	96.52	93.98	12.25	7.00	2.96						
	87914-7613	-----	-----	-----	-----	76	-----	3	96.52	93.98	10.92	5.84	2.79						
	87914-7623	-----	-----	-----	-----	76	-----	3	96.52	93.98	12.25	7.00	2.96						
E	87914-7614	-----	-----	-----	-----	76	-----	4	96.52	93.98	10.92	5.84	2.79						
	87914-7624	-----	-----	-----	-----	76	-----	4	96.52	93.98	12.25	7.00	2.96						
	87914-7615	-----	-----	-----	-----	76	-----	5	96.52	93.98	10.92	5.84	2.79						
	87914-7625	-----	-----	-----	-----	76	-----	5	96.52	93.98	12.25	7.00	2.96						
	87914-7616	-----	-----	-----	-----	76	-----	6	96.52	93.98	10.92	5.84	2.79						
	87914-7626	-----	-----	-----	-----	76	-----	6	96.52	93.98	12.25	7.00	2.96						
D																			
C																			
B																			
A	SEE SHEET 14 EC NO: SZ015-1512 DRAWN: MRAKRI SHINA 2015/06/25 CHKD: ATSEE 2015/06/25 APPR: KPRASAD 2015/07/15 REV DESCRIPTION							QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
										mm	INCH	DRAWN BY	DATE	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H molex					
									4 PLACES	± ---	± ---	KCHO	2004/11/05						
									3 PLACES	± ---	± ---	CHECKED BY	DATE						
									2 PLACES	± 0.20	± ---	PTL IM	2004/12/08						
									1 PLACE	± ---	± ---	APPROVED BY	DATE						
									0 PLACE	±	±	MLONG	2010/09/06	SD-87914-013					
									ANGULAR ± 3 °				DOCUMENT NO.			SHEET NO.			
									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										
									SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

987654321

10		9		8		7		6		5		4		3		2		1						
PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																
								A	B	F	M	P												
F	87914-7811	-----	-----	-----	-----	78	-----	1	99.06	96.52	10.92	5.84	2.79											
	87914-7821	-----	-----	-----	-----	78	-----	1	99.06	96.52	12.25	7.00	2.96											
	87914-7812	-----	-----	-----	-----	78	-----	2	99.06	96.52	10.92	5.84	2.79											
	87914-7822	-----	-----	-----	-----	78	-----	2	99.06	96.52	12.25	7.00	2.96											
	87914-7813	-----	-----	-----	-----	78	-----	3	99.06	96.52	10.92	5.84	2.79											
	87914-7823	-----	-----	-----	-----	78	-----	3	99.06	96.52	12.25	7.00	2.96											
E	87914-7814	-----	-----	-----	-----	78	-----	4	99.06	96.52	10.92	5.84	2.79											
	87914-7824	-----	-----	-----	-----	78	-----	4	99.06	96.52	12.25	7.00	2.96											
	87914-7815	-----	-----	-----	-----	78	-----	5	99.06	96.52	10.92	5.84	2.79											
	87914-7825	-----	-----	-----	-----	78	-----	5	99.06	96.52	12.25	7.00	2.96											
	87914-7816	-----	-----	-----	-----	78	-----	6	99.06	96.52	10.92	5.84	2.79											
	87914-7826	-----	-----	-----	-----	78	-----	6	99.06	96.52	12.25	7.00	2.96											
D																								
C																								
B																								
A	SEE SHEET 14		EC NO: SZ015-1512		DRAWN: MRAKRI / SHINA 2015/06/25		CHKD: ATSEE 2015/06/25		APPR: KPRASAD 2015/07/15		REV		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
	D15												F=0		mm INCH		MM ONLY		NTS		METRIC			
													F=0				DRAWN BY DATE		TITLE					
													F=0				KCHO 2004/11/05		2.54MM PITCH					
																	CHECKED BY DATE		DUAL ROW HEADER					
																	PTL IM 2004/12/08		SINGLE WAFER, T/H					
																APPROVED BY DATE		molex						
																MLONG 2010/09/06		DOCUMENT NO.		SD-87914-013		SHEET NO.		
																SIZE		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		44 OF 45		
																A3								

fb_frame_A3_P_AM_T
Rev. G 2012/01/11

9

8

7

6

5

4

3

2

1

	10		9		8		7		6		5		4		3		2		1		
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSIONS												
									A	B	F	M	P								
F	87914-8011	-----	-----	-----	-----	80	-----	1	101.60	99.06	10.92	5.84	2.79		F						
	87914-8021	-----	-----	-----	-----	80	-----	1	101.60	99.06	12.25	7.00	2.96								
	87914-8012	-----	-----	-----	-----	80	-----	2	101.60	99.06	10.92	5.84	2.79								
	87914-8022	-----	-----	-----	-----	80	-----	2	101.60	99.06	12.25	7.00	2.96								
	87914-8013	-----	-----	-----	-----	80	-----	3	101.60	99.06	10.92	5.84	2.79								
	87914-8023	-----	-----	-----	-----	80	-----	3	101.60	99.06	12.25	7.00	2.96								
E	87914-8014	-----	-----	-----	-----	80	-----	4	101.60	99.06	10.92	5.84	2.79		E						
	87914-8024	-----	-----	-----	-----	80	-----	4	101.60	99.06	12.25	7.00	2.96								
	87914-8015	-----	-----	-----	-----	80	-----	5	101.60	99.06	10.92	5.84	2.79								
	87914-8025	-----	-----	-----	-----	80	-----	5	101.60	99.06	12.25	7.00	2.96								
	87914-8016	-----	-----	-----	-----	80	-----	6	101.60	99.06	10.92	5.84	2.79								
	87914-8026	-----	-----	-----	-----	80	-----	6	101.60	99.06	12.25	7.00	2.96								
D															D						
C														C							
B														B							
A	SEE SHEET 14 EC NO: SZ015-1512 DRWN:MRAWAKRI SHNA 2015/06/25 CHKD:ATSEE 2015/06/25 APPR:KPRASAD 2015/07/15 REV DESCRIPTION D15								QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE NTS	DESIGN UNITS	THIRD ANGLE PROJECTION	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H	molex	SD-87914-013	SHEET NO. 45 OF 45
													MM ONLY								
										mm		INCH		DRAWN BY	DATE	TITLE					
										4 PLACES ± --- ± ---		KCHO	2004/11/05								
										3 PLACES ± --- ± ---		CHECKED BY	DATE								
										2 PLACES ± 0.20 ± ---		PTL IM	2004/12/08								
										1 PLACE ± --- ± ---		APPROVED BY	DATE								
										0 PLACE ± ±		MLONG	2010/09/06	MATERIAL NO.	DOCUMENT NO.						
										ANGULAR ± 3 °			SEE TABLE								
										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
SIZE A3																					

fb_frame_A3_P_AM_T

Rev. G 2012/01/11

9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---