

Precision is Sought by Many but Achieved by Few.

Erem's N-Series and Ergonomic Series are the result of over 25 years of cutting edge development.



Erem Full Flush and Super Full Flush cutters leave a flat surface on cut leads.



Guaranteed for over 1 million openings, the internal Erem Magic Springs provide constant, fatigue free operation, making them far superior to leaf and coil springs.



Erem's "exclusive" Inter-lock Screw Joint System, Internal Spring and Opening Stop provide smooth, wobble-free operation. The Inter-lock Screw System eliminates blade overlapping, which can cause mechanical shock and damage sensitive components.



EMOS Erem's Maximum Opening Stop limits the blade tips from opening more than 5 mm. Reduces operator fatigue by preventing excessive hand spread.





N-Series

No matter how closely you look at our Erem N-Series cutters, there are more qualities that you can't see. These added features make our cutters a superior value and give our products a "must have" status for demanding users.

Model			Max ø Cut Cu	Type of Cut
512N	Side cutter, Medium oval head. Semi flush cut. 115 mm / 4 1/2"	10 mm/.394	1,6 mm/.063	
522N	Full flush cut.	10 mm/.394	1,6 mm/.063	
532N	Super full flush cut.	10 mm/.394	1,6 mm/.063	
612N	Miniature side cutter, oval head. Semi flush cut. 110 mm / 4 1/4"	9 mm/.354	1,25 mm/.050	
622N	Full flush cut.	9 mm/.354	1,25 mm/.050	
632N	Super full flush cut.	9 mm/.354	1,25 mm/.050	
622NB	Straight and relieved head. Full flush cut. 110 mm / 4 1/4"	9 mm/.354	1 mm/.039	
812N	Side cutter, oval head. Semi flush cut. 4 3/4"	15 mm/.591	1,8 mm/.070	
822N	Full flush cut.	15 mm/.591	1,8 mm/.070	



E-Series

Comfort and quality are the hallmarks of the Erem E-Series. The compound-curve handles provide a grip that matches the contours of your hand, so gripping pressure is more evenly distributed over the palm. Thumb and fingers self-position easily, so the soft foam cushion grips fall naturally into the curve of the palm, making the tool much more comfortable.

	Model			Max ø Cut Cu	Type of Cut
	2212E	Side cutter, medium oval head. Long handles. Semi flush cut. 140 mm / 5 1/2"	10 mm/.394	1,25 mm/.049	
	2222E	Full-flush cut.	10 mm/.394	1,25 mm/.049	
	2232E	Super full-flush cut.	10 mm/.394	1,25 mm/.049	
	2211P	Very Fine needle nose pliers for micro electronics. Smooth full radiused jaws 165 mm / 6 1/2"	35 mm/1 ³ /8"	⊕ T T	-
	2242	Fine long flat nose plier. Precise radiused edges. 160 mm / 6 1/4"	33 mm/1 ⁵ / ₁₆ " 1,5 mm/.059 3,5 mm/.138	8 H	-
107	2282E	Tip cutter. Ideal for working on PCB's, cutting components. Full-flush cut. 145 mm / 5 3/4"	20 mm/.787	1,0 mm/.039	







All Erem N and E-Series tools come standard with "ESD Safe" replaceable cushion grips for superior comfort and protection.

These EREM-Magic tools are manufactured using a unique Swiss Lamination technique, which is a multiple extrusion process that super-compacts the structure of Eremadium® steel and implants extra strength to the tool. This ensures longer wear.



G E R M A N Y

Cooper Tools GmbH

Carl-Benz-Str. 2, 74354

Postfach 1351

74351 Besigheim

Tel: (07143) 580-0

Fax: (07143) 580-108

F R A N C E **Cooper Tools S.A.** 25 Avenue Maurice Chevalier - BP 46 7730 Ozoir Ia Ferrière Tél: (01) 60.18.55.40 Fax: (01) 64.40.33.05 G R E A T B R I T A I N
Cooper Tools
Suite 15, Coniston House
Town Centre
Washington, Tyne & Wear
NE38 7RN
Tel: (0191) 419 7700
Fax: (0191) 417 9421

Cooper Italia S.p.A. Viale Europa 80 20090 Cusago (MI) Tel: (02) 9033101 Fax: (02) 90394231 Erem S.A.
Rue de la Roselière 8
1400 Yverdon les Bains
Tel: (024) 426 12 06
Fax: (024) 425 09 77