



Erem®

2400 MagicSense

 **Swiss Made**

 **COOPER** Hand Tools

2400 MagicSense

**The Erem 2400 MagicSense series
will impress you with its:**

Erem Technology

Erem Cut

Erem MagicSense

Erem Service

The quality and performance of Erem precision tools are the result of more than 30 years of development and know-how. Market developments inspire Erem to create forward looking, innovative products for a variety of applications in electronics, aviation, biology, medicine (micro surgery, operation accessories, dental engineering etc.), the watch industry or telecommunications.

Our global customers make use of our expertise in the field of electronic cutters and pliers.

The electronic cutters of the 2400 MagicSense series are the result of constant development in accord with our customers' requirements: which result in high quality craftsmanship, precision cutting and operator comfort, the optimum combination needed to meet the highest manufacturing requirements.

Internal patented Erem Magic Spring

- constant spring force
- more than 1 million cutting cycles guaranteed

High Precision screw joint

- smooth cutting action
- wobble free operation with no blade overlap

Erem Cut: Special cutting blade for achieving the desired cutting shape



Erem®



Swiss Made

MagicSense shaped handle with Softtouch feature


for high comfort, better grip and added safety

EMOS maximum opening stop

limits blade opening to 5 mm maximum.
Reduces operator fatigue by preventing
excessive hand spread.



ESD safe



Safety clip for retaining cut leads

This safety device for side cutters holds wire scraps securely after cutting. Suitable for following cutters: 2412E, 2422E, 2432E, 2477E. Add suffix "W" e.g. 2412EW.

Induction hardened blades in Rockwell hardness 63–65 HRC

for exceptionally long life



Erem Technology

The steel

Erem electronic cutters are made from bright steel. They are not drop forged. The special tool steel is made using a unique Swiss processing technique.

Your advantage:

The high grade tool steel gives the tools additional strength and toughness.




The internal patented Erem Magic Spring

The Erem Magic Spring is unique, it is integral to the cutter head and provides a constant opening and closing force and is guaranteed for more than 1 million operations.

Your advantage:

The Magic Spring is reliable, makes the cutter easy to operate and reduces operator fatigue.



Precision screw joint

The precision screw joint ensures a smooth cutting action, without play or overlapping of the jaws and prevents the cutter head sticking when opening.

Your advantage:

Precise cutting, reduced shock to components.

EMOS Maximum Opening Stop

The unique EMOS Erem Maximum Opening Stop system limits the blade tips from opening more than 5 mm. Reduces operator fatigue by preventing excessive hand spread.

Your advantage:

Comfortable and fatigue free working.

Erem Cut

Cut options

There are 3 cut options:



1. Semi flush

For general cutting applications in which the shape of the cut is not important. Will cut both hard and soft wires equally well. Leaves a wedge shape on the cut leg of the component.



2. Flush

Will cut both hard and soft wires. The blades are ground to shallower angle than those of semi flush cutters, this means that the cutting effort is reduced and the component is subjected to less shock. A much smaller wedge shape is left on the leg of the component. Used for general purpose cutting, or where greater precision is required.




3. Super full flush

Erem super full flush cutters are precision ground and sharpened. This cut provides absolutely flush wire ends. No rework is needed. Less effort is required and the components are subjected to less shock load. This type of cut is suitable **only** for soft wires in microelectronics, aerospace and medical engineering applications.



Erem Cut super full flush:
perfect flush cut

Regular „Super full
flush“ cut



MagicSense

Blade

The Erem 2400 MagicSense series cutters are noted by their ease of use. This is because of the design of the blades, which can cut over the full length of the blade from heel to tip. This promotes operator comfort and reduces operator fatigue.

Rockwell Hardness

The Erem 2400 MagicSense series blades are hardened to Rockwell 63–65 by an induction heating process. This level of hardening plus the high grade tool steel used in the manufacture of the tools and continuous process control ensure that Erem tools have an exceptionally long life.

Ergonomically shaped handles

The handles of the Erem 2400 MagicSense are designed for maximum operator comfort and safety. The grip material has a soft touch but firm feel and has an anti-slip surface that is resistant to water, perspiration, oil and chemicals to ensure a secure hold. The ergonomic shape of the handle spreads the grip force over the palm of the hand and automatically positions the thumb and fingers in the most comfortable position. Worn handles can be replaced as necessary.

Erem Service

Sharpening

Erem offers a free of charge sharpening service on all cutters except those with a carbide insert blades, most cutters can be sharpened up to 3 times. You will be charged for carriage only.

Your advantage:

You receive back a fully reconditioned tool, reducing your tool costs.

Replacement parts

Erem cutters and pliers and their component parts come with a warranty against manufacturing defects. The Magic Springs and precision joint components are available as spare parts.



ESD safe



Side cutters and pliers

Side cutter, oval head



Semi flush



2412E Side cutter, oval head, semi flush cut
Side cutter with robust head for general use. High cutting capacity.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
130	12	11	6	19,2	max. 1,6

Flush



2422E Side cutter, oval head, flush cut
Side cutter with robust head for general use. For soft and thin wires of medium hardness.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
130	12	11	6	19,2	max. 1,6

Super full flush



2432E Side cutter narrow, oval head, super full flush cut
Suitable only for soft wires. With razor sharp cut.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
130	12	11	6	19,2	max. 1,3

Side cutter, tapered head




Flush



2477E Side cutter, tapered head, flush cut
For work in confined spaces which are not easily accessible.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
127	9	11	6	16,2	max. 1,3

Tip cutter with straight head



Flush



2470E Tip cutter straight, tapered head, flush cut
For horizontal cutting and easier access to tight spots.
For small wires only.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
140	4,5	11	6	29,3	max. 0,6

Tip cutter, 30° angled head



Flush



2403E Tip cutter, 30° angled head, flush cut
Fairly wide and robust head, fine cut.
Tip cutter for general cutting applications.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
130	9,3	11	6	19,6	max. 1,3

Flush



2404E Tip cutter, 30° angled head, flush cut
same as 2403E, but with fine rounded head at the front.

Dimensions in mm					Cutting capacity in mm
L	A	B	C	D	CU
130	9,3	11	6	19,8	max. 1,2

Tip cutter, 45° angled head



Flush

2482E Tip cutter, 45° angled head, flush cut
Medium size. Ideal for cutting DIL components etc. on PCBs.
Usable at both 90° and 180° angles.

Dimensions in mm

L	A	B	C	D	Cutting capacity in mm CU
135	6,2	11	6	26,2	max. 1,0



Flush

2475E Tip cutter, 45° angled head, flush cut
Tip cutter, narrow. For fine cutting work on hybrid circuits of miniature components.
For working in confined spaces which are not easily accessible.

Dimensions in mm

L	A	B	C	D	Cutting capacity in mm CU
135	4	11	6	22,4	max. 0,6

Side cutter, tapered head




Flush

2476TX1 Side cutter, tapered head, tungsten hard metal cutting edges, flush cut
Narrow head for perfect work in confined spaces. High precision side cutter ideal for stainless wires, catheters, coils, etc. Suitable for medical applications.

Dimensions in mm

L	A	B	C	D	Cutting capacity in mm piano wire
130	11	11	6	18,5	< 0,3


Pliers



2411P Needle nose pliers with very precise, finely rounded jaws.

Dimensions in mm


L	A	B	C	D	E	G
146	33,5	11	6	40,5	1	1,2



2411PD Needle nose pliers, same as 2411P but inside serrated for secure grip.

Dimensions in mm


L	A	B	C	D	E	G
146	33,5	11	6	40,5	1	1,2



2442P Flat nose pliers with precise smooth jaws.
Precision machined edges for gripping flat workpieces.

Dimensions in mm




L	A	B	C	D	E	G
146	33,5	11	6	40,5	3,4	1,2



2443P Round long nose pliers with very precise, smooth jaws for bending wires.

Dimensions in mm

L	A	B	C	D	E
146	33,5	11	6	40,5	Ø 0,8



L = total length of blade / pliers
A = jaw length
B = head width
C = head thickness
D = head length
E = nose width
G = total height of both noses

Cutting capacity

Wire Cu

0.1 – 0.6 mm
.004 – .024 inch

0.6 – 0.8 mm
.024 – .0315 inch

0.8 – 1.3 mm
.0315 – .051 inch

1.3 – 1.6 mm
.051 – .063 inch

Piano wire

< 0.3 mm
< .012 inch



2412E



2422E



2432E



2477E



2470E



2403E



2404E



2482E



2475E



2476TX1

COOPER Hand Tools

Campbell® Caulk Master® Crescent® Diamond® Erem® Kahnetics® Lufkin®
Nicholson™ Plumb® H.K.Porter® Weller® Wire-Wrap® Wiss® Xcelite®

GERMANY
Cooper Tools GmbH
Carl-Benz-Str. 2
74354 Besigheim
Tel: (07143) 580-0
Fax: (07143) 580-108

FRANCE
Cooper Tools S.A.S.
25 Rue Maurice Chevalier BP 46
77832 Ozoir-la-Ferrière Cedex
Tel: (01) 60.18.55.40
Fax: (01) 64.40.33.05

GREAT BRITAIN
Cooper Tools
A Division of Cooper (GB) Ltd.
4th Floor Pennine House
Washington, Tyne & Wear
NE37 1LY
Tel: (0191) 419 7700
Fax: (0191) 417 9421

ITALY
Cooper Italia S.r.l.
Viale Europa 80
20090 Cusago (MI)
Tel: (02) 9033101
Fax: (02) 90394231

SWITZERLAND
Erem S.A.
Rue de la Roselière 8
1400 Yverdon-les-Bains
Tel: (024) 426 12 06
Fax: (024) 425 09 77

005 57 052 00 / 09.06 WAL 3.0