


*2 and 3 Conductor Power Cords*

**QUALTEK ELECTRONICS**

**2 Conductor Power Cords**



**A**



**B**

| Part Number | Figure | Length | Cordage | # Cond AWG | Amp Rating | Plug No. | Conn No. |
|-------------|--------|--------|---------|------------|------------|----------|----------|
| 221001-01   | A      | 6' 0"  | SPT-1   | 2 x 18     | 10         | 002      | --       |
| 221002-01   | A      | 9' 0"  | SPT-1   | 2 x 18     | 10         | 002      | --       |
| 223020-01   | B      | 6'0"   | SPT-2   | 2 x 18     | 7          | 001      | P004     |
| 223021-01   | B      | 8'0"   | SPT-2   | 2 x 18     | 7          | 001      | P004     |

**QUALTEK ELECTRONICS**

**3 Conductor Power Cords - Unshielded**

All cords have CEE Color Code, 60°C and 125VAC unless marked otherwise



**C**



**D**



**E**



**F**



**G**



**H**



**I**

| Part Number | Figure | Length | Cordage       | # Cond AWG                      | Amp Rating | Plug No. | Conn No. |
|-------------|--------|--------|---------------|---------------------------------|------------|----------|----------|
| 211012-06   | C      | 8' 0"  | SVT +         | 3 x 18                          | 10         | 004      | --       |
| 211018-06   | C      | 8' 0"  | SJT +         | 3 x 18                          | 10         | 004      | --       |
| 311010-01   | C      | 9' 10" | SVT           | 3 x 18                          | 10         | 004      | --       |
| 311016-01   | C      | 9' 10" | SJT           | 3 x 18                          | 10         | 004      | --       |
| 311027-01   | C      | 9' 10" | SJT           | 3 x 14                          | 15         | 004      | --       |
| 212004-01   | D      | 7' 6"  | SVT +         | 3 x 18                          | 10         | 004      | 005      |
| 212013-01   | D      | 7' 6"  | SJT +         | 3 x 16                          | 13         | 004      | 005      |
| 312003-01   | D      | 7' 6"  | SVT           | 3 x 18                          | 10         | 004      | 005      |
| 312008-01   | D      | 7' 6"  | SJT           | 3 x 18                          | 10         | 004      | 005      |
| 312010-01   | D      | 9' 10" | SJT           | 3 x 18                          | 10         | 004      | 005      |
| 312014-01   | D      | 9' 10" | SJT           | 3 x 16                          | 13         | 004      | 005      |
| 312019-01   | D      | 9' 10" | SJT           | 3 x 14                          | 15         | 004      | 005      |
| 312021-01   | D      | 7' 6"  | SVT ++        | 3 x 18                          | 10         | 004      | 005      |
| 313001-01   | E      | 7' 6"  | SVT           | 3 x 18                          | 10         | 004      | 006      |
| 313011-01   | E      | 7' 6"  | SJT           | 3 x 16                          | 13         | 004      | 006      |
| 315008-01   | F      | 9' 10" | SJT           | 3 x 18                          | 10         | --       | 005      |
| 318002-01   | G      | 3' 3"  | SVT           | 3 x 18                          | 10         | 009      | 005      |
| 318005-01   | G      | 3' 3"  | SJT           | 3 x 18                          | 10         | 009      | 005      |
| 318007-01   | G      | 3' 3"  | SJT           | 3 x 16                          | 13         | 009      | 005      |
| 319002-T01* | H      | 3' 3"  | SJT / H05VV-F | 3 x 18 / 3 x 1.0mm <sup>2</sup> | 10         | TA-10    | TA-5     |
| 319004-T01* | H      | 8' 2"  | SJT / H05VV-F | 3 x 18 / 3 x 1.0mm <sup>2</sup> | 10         | TA-10    | TA-5     |
| 331010-01   | I      | 9' 10" | SJT           | 3 x 14                          | 15         | 035      | 033      |

All cords have CEE Color Code (Brown/Blue/Green-Yellow), 60°C temperature rating unless marked otherwise

- + North American Color Code
- ++ Temperature Rating 105°C VW-1
- \* Universal Jumper Cord: UL, CSA and VDE certified.

 [Home](#) /  [Products](#) /  [Literature Request](#) /  [What's NEW](#)

**Qualtek Electronics** . . . . ***Meeting Global Demands with Design Solutions***

7675 Jenther Drive  Mentor, Ohio 44060  (888) 258-3468  (440) 951-3300  FAX: (440) 951-7252

E-Mail [mailbox@qualtekusa.com](mailto:mailbox@qualtekusa.com)  Web: [www.qualtekusa.com](http://www.qualtekusa.com)

**Copyright © 2005 Qualtek Electronics Corporation. All rights reserved.**

**Updated: May, 2005 12 May 2005 14:40:05 -0400**