

**Flux and Flux Removers**

[Heavy Duty Flux Remover](#)
[Flux Remover for PC Boards](#)
[Flux Remover Pen](#) **NEW**
[HFE Super Flux Remover](#)
[Rosin Flux](#)
[Rosin Flux Pen](#)

Jump to Product Number

 ALL MG PRODUCTS ▾

[Accessories](#)
[Adhesives](#)
[Brushes](#)
[Cleaners / Degreasers](#)
[Contact Cleaners](#)
[Desoldering Braid](#)
[Dusters & Circuit Coolers](#)
[EMI / RFI Shielding](#)
[Epoxies](#)
[Flux and Flux Remover](#)
[Glass & Screen Cleaners](#)
[Isopropyl Alcohol](#)
[Lubricants](#)
[Potting & Encapsulating](#)
[Protective Coatings](#)
[Pens](#)
[Prototyping Materials](#)
[RTV Silicones](#)
[Specialized Cleaners](#)
[Swabs](#)
[Thermal Management](#)
[Thermally Conductive Adhesives](#)
[Wipes](#)

Flux Remover Pen**4140-P** 

A special blend of ethyl alcohol, isopropanol and ethyl acetate. Excellent for removing rosin, non-rosin, no clean fluxes, and ionic contamination. Felt tip pen for precision application.

- Moderate evaporation
- Highly flammable
- Low odor
- Zero residue

Available Sizes

Catalog Number	Sizes Available	Description
4140-P	400g (14 oz)	Aerosol
Also available in liquid and aerosol formats as Cat. No. 4140		

Quick Links

[▶ MSDS \(PDF\)](#)
Material Safety

