



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.DWG

REVISIONS

DOC. NO. SPC-F005 * Effective: 7/8/02 * DCP No: 1398

DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
1491	A	RELEASED	JWM	12/30/03	HO	2/11/04	CG	2/17/04



Display	LCD, 18mm (0.7") digit size, 5 digits with annunciator		
Measuring Range & Resolution	Units	Range	Resolution
	Ounces (oz.)	0.005 oz. To 9.9995 oz.	0.0005 oz.
		10.000 oz. To 10.581 oz.	0.001oz.
Minimum Display Weight	Ounces (oz.)	0.005 oz.	
Accuracy*	± (0.05% + 0.0015 oz.)		
Sampling Time	Approx. 1 second		
Tare Control	Approx. 10.58 oz. Max.		
Transducer	Load cell		
Circuit	Microprocessor Circuit		
Auto-Calibration	Use 100g or 200g standard weight to execute self-calibration automatically		
Operating Temperature	0°C to 50°C [32°F ~ 122°F]		
Operating Humidity	Less than 80% R.H.		
Size	Cabinet	250mm x 180mm x 70mm	
	Platform	Round, 120mm Dia.	
Power Supply	6x 1.5V AA (UM-3) batteries or DC 9V adapter, <i>Neither Supplied</i>		
Power Consumption	Approx. DC 25mA		
Optional Accessories	RS-232 Software (p/n 72-6701A)		
	RS-232 Cable (p/n 72-6702)		

*Within two hours after self-calibration is executed at 23°C \pm 5 °C

Spec. tested under the environment RF Field Strength of less than 3 V/M and frequency of less than 30MHz only

FEATURES:

- Microprocessor circuit with high accuracy and better performance
- 0.0005 oz. resolution and wide measuring capacity
- Large LCD display, 18mm [0.7"] digit size, easy read-out
- Built-in self-calibration system, the calibration value is memorized in EEPROM circuit permanently
- High precision counting scale function
- RS-232 computer interface
- Accepts battery or AC/DC adapter power source
- Built-in "level bubble" and adjustable rubber pads
- Heavy duty ABS housing plastic case

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Jeff McVicker

DATE:

12/30/03

CHECKED BY:

Hisham Odish

DATE:

2/11/04

APPROVED BY:

Chris Gloger

DATE:

2/17/04

DRAWING TITLE:

Digital Scale with RS-232 Capability

SIZE DWG. NO.

A

72-7255

ELECTRONIC FILE

16H5083.dwg

REV

A

SCALE: NTS

U.O.M.: Millimeters

SHEET: 1 OF 1