





P/N	LENGTH	TOLERANCE	JACKET RATING
74546-0401	1M	0.05M	VW1
74546-0402	2M	0.05M	VW1
74546-0403	3M	0.05M	VW1
74546-0404	4M	0.10M	VW1
74546-0405	5M	0.10M	CL2
74546-0406	6M	0.13M	CL2
74546-0407	7M	0.13M	CL2
74546-0408	8M△	0.13M	CL2
74546-0409	9M△	0.15M	CL2
74546-0410	10M△	0.15M	CL2





NOTES:

- MATERIAL =
BACKSHELLS - ZINC DIECAST
PULL - NYLON
CABLE JACKET RATING - SEE TABLE
- LENGTH AND TOLERANCE - SEE TABLE
- ELECTRICAL PERFORMANCE PER PCI EXPRESS EXTERNAL CABLING SPEC.
- PLUG MATES TO RECEPTACLE 75586-0010, AND EMI GUIDE HOUSING ASSY. 74540-0400
- ASSEMBLY IS TO BE RoHS COMPLIANT BY FEB 1, 2006.
△. NOT COMPLIANT WITH INSERTION LOSS SPEC. PER. THE PCIE CABLING SPEC.

IPASS™ IS A TRADEMARK OF MOLEX

ENTER DESCRIPTION EC NO: USY2006-0338 TIDRWN: BREED 2006/05/01 CHKD: DDOYE 2006/05/04 APPR: DDOYE 2006/05/08 REV			DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION				
					mm	INCH	DRAWN BY BREED	DATE 2005/02/02	TITLE I-PASS X4 CABLE ASSEMBLY GEN 1							
					4 PLACES	± ---	± ---	CHECKED BY DDOYE	DATE 2005/02/02	MOLEX MOLEX INCORPORATED						
					3 PLACES	± ---	± ---	APPROVED BY DDOYE	DATE 2005/02/02							
					2 PLACES	± 0.13	± ---	MATERIAL NO. SEE TABLE						DOCUMENT NO. SD-74546-400		SHEET NO. 1 OF 3
					1 PLACE	± 0.25	± ---									
					ANGULAR ±1/2°											
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							





	CABLE GAUGE	24	26	28
A	CABLE DIAMETER	10.54	9.53	8.75
B	MINIMUM OUTER RADIUS	42.00	38.00	35.00
C	FACEPLATE TO OUTER RADIUS	91.86	87.86	84.86

ENTER DESCRIPTION
EC NO: USY2006-0338
TIDRWNBREED 2006/05/01
CHKD:DDOYE 2006/05/04
APPR:DDOYE 2006/05/08

DESCRIPTION
REV

QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± 0.13 ± ---
1 PLACE ± 0.25 ± ---
ANGULAR ±1/2°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY DATE
BREED 2005/02/02
CHECKED BY DATE
DDOYE 2005/02/02
APPROVED BY DATE
DDOYE 2005/02/02
MATERIAL NO.
SEE TABLE

SCALE
1:1
DESIGN UNITS
METRIC
THIRD ANGLE PROJECTION
TITLE
I-PASS
X4 CABLE ASSEMBLY
GEN 1
MOLEX INCORPORATED
DOCUMENT NO.
SD-74546-400
SHEET NO.
3 OF 3

IPASS™ IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION