Isobar Home/Business Theater Surge Suppressor

Ultimate-performance surge and line-noise protection for all components



Model #: HTPOWERBAR10

- 10 outlets / 8 ft. cord
- 5700 joule rating
- Isolated Filter Banks / metal housing
- 3-line coaxial (gold) surge protection
- 1-line tel/modem surge protection
- \$500,000 Ultimate Lifetime Insurance with Data Recovery Warranty (USA and Canada only)

DESCRIPTION

Tripp Lite's HTPOWERBAR10 Isobar Home/Business Theater Surge Suppressor provides ultimate protection--5700 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! You can see and hear the difference: sharper, crisper video; deeper, fuller audio and longer component life spans. Perfect for large home/business theater installations: high-definition TVs, PVRs, satellite and A/V receivers, subwoofers, DVD/CD players and more. Exclusive Isolated Filter Banks eliminate noise interference between components. 10 outlets (with transformer spacing and plug-in safety covers), 3-line coaxial protection and 1-line tel/modem protection safeguard an entire home/business theater system. \$500,000 Ultimate Lifetime Insurance coverage with Data Recovery Warranty (USA and Canada only). Includes metal housing, color-coordinated outlet/plug labels, 16 diagnostic LEDs, 8 ft. cord with a right-angle plug, two 6 ft. gold coaxial cables and 6 ft. phone cord.

KEY BUYING POINTS

- 5700 joules surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- \$500,000 Ultimate Lifetime Insurance (USA and Canada only) covers connected components against surge damage...for life!
- Data Recovery Warranty (USA and Canada only) covers a hard drive and the valuable information stored on it
- Isolated Filter Banks eliminate interference between connected components
- Metal housing safely withstands the strongest surges
- 10 surge-protected NEMA 5-15R AC outlets safeguard an entire home/business theater system
- Widely-spaced outlets accommodate up to 6 transformers
- Four plug-in safety covers protect against accidental contact
- 3 sets of surge-protected Type F gold coaxial connectors (with two included 6 ft. gold coaxial cables) safeguard components on cable, satellite and antenna line
- 1-line tel/modem surge protection (with included 6 ft. phone cord) safeguards personal video recorders (PVRs) on a single dial-up line. Built-in splitter (1 jack in and 2 jacks out) allow simultaneous connection of two devices sharing a single line
- 8 ft. cord with right-angle NEMA 5-15P plug provides convenient location anywhere within a home/business theater system
- 16 diagnostic LEDs alert user to 6 input voltage levels, 6 amp usage levels and 4 operational conditions (protection, grounding, power, switched status)
- Keyhole slots provide convenient wall or cabinet mounting
- Illuminated master switch provides one-touch power control over all components. Circuit breaker protects against dangerous system overload
- · Metal housing (gold) stands up to the most demanding environments
- UL and cUL listed
- Lifetime product warranty
- Color-coordinated outlet/plug labels

TYPICAL APPLICATIONS

Perfect for large home/business theater installations: high-definition TVs, PVRs, satellite and A/V receivers, subwoofers, DVD/CD

PACKAGE INCLUDES

- HTPOWERBAR10 Home/Business Theater Surge Suppressor
- Two 6 ft. gold coaxial cables and 6 ft. phone cord
- Instruction manual with warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW		
System overview:	Tripp Lite's HTPOWERBAR10 Home/Business Theater Surge Suppressor provides ultimate protection5700 joulesstopping damaging surges and filtering disruptive line noise so components perform at their peak! Exclusive Isolated Filter Banks eliminate noise interference between components. 10 outlets (with transformer spacing), 3-line coaxial protection and 1-line tel/modem protection safeguard an entire home/business theater system. \$500,000 Ultimate Lifetime Insurance coverage with Data Recovery Warranty (USA and Canada only). Includes metal housing, 16 diagnostic LEDs, 8 ft. cord with a right-angle plug, two 6 ft. gold coaxial cables and 6 ft. phone cord.	
Voltage compatibility:	120 VAC	
Frequency compatibility:	50/60 Hz	
OUTPUT		
Output volt amp capacity (amps):	15 A	
Output watt capacity (watts):	1800 W	
Outlet quantity / type:	10 NEMA 5-15R output receptacles	
Transformer accomodation:	Accommodates 6 transformers	
INPUT		
Input connection type:	NEMA 5-15P	
Input cord length (ft.):	8	
Input cord length (m):	2.4	
Input plug features:	Space-saving right angle input plug	
Input cord gauge, type:	14 gauge, SJT	
Recommended electrical service:	120V 15A	
LEDS ALARMS & SWITCHES		
Diagnostic LEDs:	16 diagnostic LEDs alert user to 6 input voltage levels, 6 amp usage levels and 4 operational conditions (protection, grounding, power, switched status)	
Switches:	Combination AC circuit breaker and illuminated 2 position on/off power switch	
AC SURGE / NOISE SUPPRESSION		
Protection modes:	Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression	
AC suppression joule rating:	5700 joules	
AC suppression response time:	NM = instantaneous CM = < 1 ns	
UL1499 let through rating:	330V - UL verified	
Isolated filter banks:	10	
DATALINE SURGE SUPPRESSION		
TEL / Modem line protection:	Includes single line phone suppression via built-in RJ-style connectors (260V clamping, center 2 wires protected), includes cable.	

Coax line protection:	Includes coax surge suppression via 3 sets of built-in Type F gold coax jacks, includes coax cables
PHYSICAL	
Unit weight (lbs):	4.5
Unit weight (kg):	2
Unit Dimensions (HWD/in):	19 x 3.75 x 5
Unit Dimensions (HWD/cm):	48.3 x 9.5 x 12.7
Material of construction:	Extruded aluminum with plastic side panels
Integrated keyhole mounting tabs:	Keyhole mounting slots allow desk or wall mounting
Housing color:	Attractive gold and black color scheme
AC line cord color:	Black
CERTIFICATIONS	
UL1449 1998 Rev. (AC Suppression):	UL1449
UL1363 (Power Tap):	UL1363
UL497A (Communications):	UL497A
FCC Part 68 (Communications):	FCC Part 68
cUL / CSA (Canada):	cUL
Approvals:	Exceeds IEEE 587 category A&B specifications
WARRANTY	
Product warranty:	Lifetime
Connected equipment insurance (USA and Canada Only):	\$500,000
Data recovery warranty:	Included

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.