

PS-615-HGULTRA

- ▶ Versatile power distribution strip
- ▶ 6 hospital-grade receptacles and hospital-grade plug
- ▶ 15-ft. cord
- ▶ 15A resettable circuit breaker
- ▶ GFCI protection



DESCRIPTION

Providing 15-amp capacity AC power distribution in a rugged all-metal outlet strip for 120-volt applications, Tripp Lite's PS-615-HGULTRA Power Strip is agency approved for use in hospitals, clinics, physicians' offices, imaging centers, laboratories and medical facilities of all types. Features include 6 hospital-grade receptacles with GFCI protection, 15-foot AC power cord and built-in resettable circuit breaker. Switchless design prevents accidental shutoff. Optional-use keyhole mounting tabs and flanges.

PLUG / OUTLETS: Incorporates NEMA 5-15PHG hospital-grade plug and 6 NEMA5-15RHG hospital-grade receptacles

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: All-metal corded multi-outlet strip

KEY BUYING POINTS

- Rugged all-metal housing withstands years of use without breakage
- 6 hospital-grade NEMA5-15RHG output receptacles with GFCI protection
- 15-ft. AC cord with integrated, molded NEMA5-15PHG plug
- Optional-use keyhole mounting tabs and flanges.
- Switchless design prevents accidental shutoff
- 15A electrical capacity with built-in resettable circuit breaker
- 120V, 50/60Hz electrical compatibility
- Tested to UL (USA) and cUL (Canada)
- Agency approved for use in medical facilities

TYPICAL APPLICATIONS

- Reliable, agency-approved AC power distribution with hospital-grade receptacles and plug for use in hospitals, clinics, physicians' offices, imaging centers, laboratories and medical facilities of all types. Permits multiple items of electrical equipment to be utilized in rooms with limited duplex wall outlets.

PACKAGE INCLUDES

- PS-615-HGULTRA Power Strip
- User manual with warranty information

COMPLETE SPECIFICATIONS



SYSTEM OVERVIEW	
System overview:	6-outlet power strip with hospital-grade plug and receptacles; 15 ft. cord
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	15A
Output watt capacity (watts):	1800W
Outlet quantity / type:	4 NEMA 5-15RHG; 2 NEMA 5-15RHG GFCI
Outlet orientation:	Single row of 6
Overload protection:	15A circuit breaker
INPUT	
Input connection type:	NEMA 5-15PHG plug
Input cord length (ft.):	15
Input cord length (m):	4.572
Recommended electrical service:	15A 120V
LEDS ALARMS & SWITCHES	
Switches:	No power switch
PHYSICAL	
Shipping weight (lbs):	3.5
Shipping weight (kg):	1.6
Unit weight (lbs):	2.4
Unit weight (kg):	1.1
Unit Dimensions (HWD/in):	1.5 x 13.75 x 2.5
Unit Dimensions (HWD/cm):	3.8 x 34.9 x 6.4
Shipping Dimensions (HWD/in):	2.25 x 15 x 6
Shipping Dimensions (HWD/cm):	5.7 x 38 x 15.2
Material of construction:	Metal
Integrated keyhole mounting tabs:	Keyhole tabs and flanges enable mounting to a variety of surfaces. Keyhole spacing 10.75" (26cm) center to center; 1.75" (4.4cm) center to edge of strip
Housing color:	White
Receptacle color:	White
AC line cord color:	White
CERTIFICATIONS	
UL1363 (Power Tap):	TUV tested to UL1363
cUL / CSA (Canada):	TUV tested to UL1363
WARRANTY	
Product warranty:	Lifetime

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2005 Tripp Lite. All Rights Reserved.