

RS-1215-20

- ▶ Designed for standard 19-inch racks (1U high)
- ▶ 20-amp circuit breaker
- ▶ 12 outlets (6 front / 6 rear)
- ▶ 15 ft. cord



DESCRIPTION

Tripp Lite's RS-1215-20 Power Strip offers 20 amp capacity AC power distribution in a versatile multi-mount cabinet. Detachable mounting flanges are configurable for rackmount, wallmount and under-counter installation. Uses only 1 rack space (1U) when installed in any 19 inch rack meeting EIA standards. Unfiltered electrical pass-through makes RS-1215-20 ideal for distributing alternate waveform UPS or generator power in rack enclosures, network closets and more. Includes 12 NEMA5-20R outlets (6 front / 6 rear), 15 ft AC power cord and lighted switch with cover prevents risk of accidental turn-off.

PLUG / OUTLET: Input: NEMA 5-20P Output: 12 NEMA5-20R (6 front & 6 rear)

ELECTRICAL: 120V AC, 50/60Hz, 20A (Requires NEMA 5-20R wall receptacle)

FORMAT: 19 in. rackmount (uses 1 rack space / 1U), wallmount, under-counter and more

KEY BUYING POINTS

- Versatile all-metal cabinet with detachable mounting flanges allows rackmount, wallmount, undercounter and other creative mounting options
- Uses one rack space (1U) in standard 19 inch rack ("zero U" mounting possible in many racks)
- Unfiltered electrical pass-through reliably distributes alternate waveform AC power from UPS or generator to supported equipment
- 12 NEMA5-20R output receptacles (6 front / 6 rear)
- 15 foot AC cord NEMA5-20P plug connection
- Lighted power switch confirms power on/off status
- Snap-in switch guard prevents accidental turn off
- 20 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility

TYPICAL APPLICATIONS

- Offers multiple outlet power distribution for multiple loads in 19 inch rackmount, wallmount and under-counter applications, such as internetworking, PC systems, telecommunications, audio/video, security, sound reinforcement and more. Ideal for distribution of UPS, generator or commercially derived AC power to protected equipment.

PACKAGE INCLUDES

- RS-1215-20
- Warranty information
- Instruction manual

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:	1U rackmount, wallmount or under-counter installable power strip with front and rear facing outlets, 20A capacity
Voltage compatibility:	120VAC
Frequency compatibility:	50/60Hz

OUTPUT

Output volt amp capacity (amps):	20A
Outlet quantity / type:	12 Nema 5-20R
Outlet orientation:	6 front facing / 6 rear facing

INPUT

Input connection type:	Nema 5-20P input plug
Input cord length (ft.):	15
Input cord length (m):	4.572
Recommended electrical service:	20A 120V

LEDS ALARMS & SWITCHES

Switches:	Red illuminated 2 position switch controls power to all outlets
Locking switch cover:	Transparent locking switch cover prevents accidental shutoff

PHYSICAL

Unit Dimensions (HWD/in):	1.75 x 17.5 x 4.5
Unit Dimensions (HWD/cm):	4.445 x 44.45 x 11.4
Material of construction:	Sheet metal
Form factors supported:	1U rackmount, wall-mount and undercounter installation supported
Housing color:	Black
Receptacle color:	Black
AC line cord color:	Black

CERTIFICATIONS

UL1363 (Power Tap):	UL1363 (UR status)
cUL / CSA (Canada):	cUL

WARRANTY

Product warranty:	Lifetime
--------------------------	----------

SPECIAL FEATURES

TVSS grounding:	Back panel nut and bolt grounding lug
------------------------	---------------------------------------

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2005 Tripp Lite. All Rights Reserved.