

APC Smart-UPS XL 3000VA RM 3U 120V

APC Smart-UPS XL, 3000VA/2400W, Input 120V/Output 120V, Interface Port DB-9 RS-232, SmartSlot, Extended runtime model, Rack Height 3 U

Includes: CD with software, Rack Mounting support rails, Smart UPS signalling RS-232 cable, User Manual

Part Number : **SU3000RMXL3U**

[Configure Now](#)



- [Compare Models](#)
- [Runtime Chart](#)
- [Email Technical Specifications](#)
- [Printer Friendly](#)

Additional Information

- [Product Overview](#)
- [User Manual & Installation Guides](#)
- [Product Distribution](#)



[\[+\] More Images](#)

Technical Specifications

- ☐ [Output](#)
- ☐ [Input](#)
- ☐ [Batteries & Runtime](#)
- ☐ [Communications & Management](#)
- ☐ [Surge Protection and Filtering](#)
- ☐ [Physical](#)
- ☐ [Environmental](#)
- ☐ [Conformance](#)

Options:

- [Automatic Transfer Switches](#)
- [Batteries](#)
- [Interface Connections](#)
- [Internal BackPlate Kits](#)
- [Management Devices](#)
- [Mounting Kits](#)
- [Rack Power Distribution](#)
- [Replacement Battery Cartridges](#)
- [Service Bypass Panels](#)
- [Services](#)
- [Software](#)
- [Step Down Transformers](#)

General Features:

- Adjustable voltage sensitivity
 - Adjustable voltage-transfer points
 - Audible alarms
 - Automatic restart of loads after UPS shutdown
 - Automatic self-test
 - Boost and Trim Automatic Voltage Regulation (AVR)
 - Cold-start capable
 - Disconnected battery notification
 - Generator compatible
 - Hot-swappable batteries
 - Intelligent battery management
 - LED status indicators
 - Network manageable
 - Plug-and-Play external batteries
 - Power conditioning
 - Predictive failure notification
 - Resettable circuit breakers
 - Safety-agency approved
 - Scalable runtime
 - Serial Connectivity
 - SmartSlot
 - Temperature-compensated battery charging
- [more details....](#)

Topology: Line Interactive

[Copyright](#) © American Power Conversion Corp., all rights reserved

[About APC](#)[Investors](#)[Job Seekers](#)[Press](#)[Feedback](#)[Contact](#)[Privacy Policy](#)