Protect It! Surge Suppressor

TRAVELERC6 In-Line Surge Suppressor



Model #: TRAVELERC6

- 120V / 240V compatible
- 1130 joule rating at 120V; 820 joule rating at 240V
- Two 3-prong (C6) connectors
- 1 in/2 out tel/modem surge protection
- In-line design
- \$100,000 Ultimate Lifetime Insurance (USA, Puerto Rico & Canada only)

DESCRIPTION

Tripp Lite's Traveler In-Line surge suppressor features a high 1130 joule rating to handle even the strongest surges (820 joule rating at 240V AC). In-line design, over current protection and 120/240V compatibility make this surge suppressor ideal for notebook computers and PDAs. Integrated phone line protection allows you to safeguard tel/modem and AC connections with a single unit. "Protected" and "Over Current" LEDs let you instantly know whether your wall jacks have potentially damaging signals. Lifetime warranty with \$100,000 Ultimate Lifetime Insurance (USA & Canada Only).

CONNECTORS: Interfaces with C6 (3 conductor laptop type) cabling

ELECTRICAL: 120V and 240V AC, 50/60Hz

FORMAT: In-line design that puts surge protection between your notebook computer or PDAs' power adapter and the power cord leading to the wall outlet

SUPPRESSION: AC: 150V RMS Clamping / 1130 joules (120V AC) or 820 joules (240V AC) / 330V UL1449 let-through rating

KEY BUYING POINTS

- In-line design places AC line surge protection between your notebook computer or PDAs' power adapter and the power cord leading to the wall outlet
- 120/240V compatibility operates on voltage worldwide, automatically switching between 120V or 240V AC power Surge suppression rating: 1130 joules (100-120V) / 820 joules (220-240V)
- Includes two 3-prong (C6) connectors
- Built-in LEDs confirm suppressor "protection present" (green) and "overcurrent detection" (red) status
- Tel/modem RJ11 jacks provide complete surge protection for modem, fax or telephone connections. Built-in splitter (1 in/2 out) allows simultaneous connection and protection of two devices on a single line
- Single small push-button switch activates overcurrent detection circuit
- \$100,000 Ultimate Lifetime Insurance (USA & Canada Only) covers connected equipment
- Lifetime product warranty

TYPICAL APPLICATIONS

Ideal for notebook computers, PDAs or other electronics requiring AC and tel/modem safeguarding

PACKAGE INCLUDES

TRAVELERC6 surge suppressor

- · 6-ft. phone cord
- Instruction manual with warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview: TRAVELERC6 surge suppressor protects laptop computer systems from surge damage on

both AC and dialup phone lines. Simple in-line connection supports systems utilizing C6 (3 conductor) output from extermal laptop power supplies. Supports worldwide voltages of 100-

240V

Voltage compatibility: Supports worldwide voltages of 100 and 240 V AC

Frequency compatibility: 50/60 Hz

OUTPUT

Outlet quantity / type: Two 3-prong (C6) connectors

INPUT

Input connection type: Two 3-prong (C6) connectors

LEDS ALARMS & SWITCHES

Diagnostic LEDs: Built-in LEDs confirm suppressor "protection present" (green) and "overcurrent

detection" (red) status

Switches: Single small push-button switch activates overcurrent detection circuit

AC SURGE / NOISE SUPPRESSION

AC suppression joule rating: 1130 joules (100-120V) / 820 joules (220-240V)

Clamping voltage (RMS): 150V
AC suppression response time: < 1 ns

UL1499 let through rating: 330V - UL Verified

DATALINE SURGE SUPPRESSION

TEL / Modem line protection: Includes single line phone suppression via built-in RJ11 connectors, includes cable (260V

clamping, center 2 wires protected. 1 input jack and 2 output jacks). Phone line protection

circuit also includes overcurrent detection.

PHYSICAL

Unit weight (lbs): 0.2

Unit weight (kg): 0.1

Unit Dimensions (HWD/in): 1.75 x 4.25 x 1

Unit Dimensions (HWD/cm): 4.4 x 10.8 x 2.5

Shipping Dimensions (HWD/in): 9 x 7 x 1.2

Shipping Dimensions (HWD/cm): 22.9 x 17.8 x 3

Material of construction: Plastic
Form factors supported: In-line

Housing color: Black

CERTIFICATIONS

UL1449 1998 Rev. (AC Suppression): UL1449
UL497A (Communications): UL497A

FCC Part 68 (Communications): FCC Part 68

cUL / CSA (Canada): cUL

Approvals: UL1950

WARRANTY

Product warranty: Lifetime

Connected equipment insurance (USA and

Canada Only):

Up to \$100,000

SPECIAL FEATURES

Appearance: Ultra-compact portable in-line protector in an attractive, all black lightweight enclosure

Additional Information: Phone line protection circuits includes a switch to activate overcurrent detection circuit able

to detect digital phone lines that could potentially damage standard dialup modems. Simply connect the protector to an active phone jack and press the button. If RED LED illuminates, the jack wired for digital or other profile that may not be compatible with standard dialup

modems

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2006 Tripp Lite. All Rights Reserved.