USB / FireWire®

USB A/B Cable w/Adjustable Angle A Connector



Model #: U012-010

- Adjustable "A" connector allows for multiple exit configurations
- Premium double-shielded USB 2.0 cable with tinned copper braid and aluminum mylar foil feature twisted data lines
- Gold plated contacts provide superior conductivity for low and high speed devices

DESCRIPTION

Tripp Lite's 10-ft. Adjustable "A" connector USB A/B device cable is designed to connect a USB device to the USB port on a computer or USB hub. Adjustable angle connector allows the cable to exit at any angle...perfect where space is limited. This high quality cable delivers the performance and reliability you expect from a USB cable. The cable features gold plated contacts for superior conductivity. It is manufactured with molded connectors which include integral strain relief to ensure durability. Double shielding provides maximum EMI/RFI protection. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

KEY BUYING POINTS

- Two elbow joints allow for Up-Down-Left-Right exit configurations where space constraints are an issue
- Premium double-shielded USB 2.0 cable with tinned copper braid and aluminum Mylar foil feature twisted data lines
- · Gold plated copper contacts provide superior conductivity
- Molded connectors which include integral strain relief to ensure durability
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

TYPICAL APPLICATIONS

Connection to a USB port where space constraints necessitate a 90 degree cable exit, in any direction

OPTIONS & ACCESSORIES

- 6-ft. USB A/B Cable w/Adjustable Angle A Connector (Model # U012-006)
- 6-ft. USB A/B Cable w/Adjustable Angle B Connector (Model # U013-006)
- 6-ft. USB A/A Extension Cable w(1)Adjustable Angle A Male Connector (Model # U014-006)
- 10 inch USB A/A Extension Cable w(1)Adjustable Angle A Male Connector (Model # U014-10I)
- 4-Port Ultra Mini USB HUB (Model # U222-004-R)
- USB to PS/2 Converter (Model # B015-000)
- USB to Serial Adapter USBA to DB9M (Model # U209-000-R)

SYSTEM REQUIREMENTS

USB port and device

PACKAGE INCLUDES

• 10ft USB A/B Cable w/Adjustable Angle A Connector

Description USB A/B Cable w/Adjustable Angle A Connector

Length10-ftConnector Number2ColorBlack

CONNECTORS

Connector A



USB A (Male

Connector B



USB B (Male)

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.