


HDA700L / 700LH (High Brightness)

Dimensional Drawing

7, WVGA (800 X480) , TFT Color Graphics ,White LED Backlight



Features

- Viewing Angle(H/V).....130/120 degrees
- High Contrast.....250:1
- Fast Response Time(R/F).....20 msec
- Built-in Controller.....none
- Touch Screenoptional
- High Brightness (HDA700L-H).....500 cd/m²


Physical Data

- Module Size.....165.0W x106.8H x11.06T mm
- Viewing Area Size.....152.4W x84.3 H mm
- Dot Pitch.....0.0635W x 0.1905H mm
- Weight.....161 g

Electrical Characteristics (VCC=3.3±0.125V 25°C)

PARAMETER	SYM	CONDITION	MIN	TYP	MAX	UNIT
OPERATING VOLTAGE	V _{CC}	-	3.0	3.3	3.6	V
OPERATING VOLTAGE W. LED	V	-	-	9.0	-	V
INPUT HIGH VOLTAGE	V _{IH}	-	0.7*V _{CC}	-	V _{CC}	V
INPUT LOW VOLTAGE	V _{IL}	-	0	-	0.3*V _{CC}	V
OPERATING CURRENT	I _{CC}	V _{CC} = 3.3V	-	450	585	mA
OPERATING CURRENT W. LED	I _{LED}	-	-	200	-	mA
POWER CONSUMPTION	P	Logic only	-	1.485	1.931	W
BRIGHTNESS	L	HDA700L/700LH	300/450	350/500	-	cd/m ²

Power Supply



Absolute Maximum Ratings

PARAMETER	SYMBOL	MIN	MAX	UNIT
SUPPLY VOLTAGE	V _{CC}	-0.3	4.3	V
INPUT VOLTAGE	V _{IN}	-0.3	V _{CC} + 0.3	V
OPERATING TEMPERATURE	T _{OP}	-20	+60	°C
STORAGE TEMPERATURE	T _{STG}	-30	+80	°C
BACKLIGHT CURRENT (WHT. LED)	I _{LED}	-	250	mA





Pin Connections

PIN NO.	SYMBOL	FUNCTION
1	Vcc	Power Supply
2	Vcc	Power Supply
3	Vcc	Power Supply
4	Vcc	Power Supply
5	NC	No Connection
6	DTMG	H/L Display Timing
7	Vss	Power Ground
8	NC	No Connection
9	Vss	Power Ground
10	NC	No Connection
11	Vss	Power Ground
12-14	B5-B3	H/L Blue Data 5-3
15	Vss	Power Ground
16-18	B2-B0	H/L Blue Data 2-0
19	Vss	Power Ground
20-22	G5-G3	H/L Green Data 5-3
23	Vss	Power Ground
24-26	G2-G0	H/L Green Data 2-0
27	Vss	Power Ground
28-30	R5-R3	H/L Red Data 5-3
31	Vss	Power Ground
32-34	R2-R0	H/L Red Data 2-0
35	NC	No Connection
36	Vss	Power Ground
37	Vss	Power Ground
38	DCLK	H/L Data Clock
39	Vss	Power Ground
40	Vss	Power Ground

查询"HDA700L"供应商
HDA700L / HDA700L-H

Dimensional Drawing

7 ,WVGA (800 X480) , TFT Color Graphics ,White LED Backlight



This datasheet has been downloaded from:

www.EEworld.com.cn

Free Download

Daily Updated Database

100% Free Datasheet Search Site

100% Free IC Replacement Search Site

Convenient Electronic Dictionary

Fast Search System

www.EEworld.com.cn