


CHIA SHIN KNOB CO LTD

[查询"25T-2D"供应商](#)

SINCE 1976

High Quality, Attractive Prices, Excellent Services


**multicomp<sup>®</sup>**




OEMS & Customers' Specifications Are Welcome.

Chia Shin Knobs

# CS SERIES MACHINED SOLID ALUMINUM KNOBS.



CC SERIES: MACHINED ALUMINUM SHELL WITH PLASTIC INSERT KNOBS.  
[查询"25T-2D"供应商](#)



# CP SERIES: BAKELITE KNOBS. CP SERIES: ABS PLASTIC KNOBS.

[查询"25T-2D"供应商](#)



## OEMS Welcome

### ITEM OF PRODUCTION:

- Aluminum Knobs
- Plastic Knobs
- Bakelite Knobs
- Shaft (Tuning/Valve/Printer)
- Foot Stands (Stainless Steel/Aluminum Shell)
- Video Cassette Parts
- Optical Instrument Parts
- Roller
- Plastic-Injection Molds

### Material:


Aluminum/Brass/steel (bearing, alloy, carbon, tool, stainless)

### Size:

Outside diameter:  $\phi 0.5\text{mm}-\phi 120\text{mm}$



## VARIOUS HARDWARE PARTS

[查询"2012"供应商](#) FOOT STANDS/TUNING SHAFT/VALVE SHAFT/PRINTER SHAFT....ETC.





## PARTS OF OPTICAL INSTRUMENTS





### MAIN EQUIPMENTS:

|                                      |                        |
|--------------------------------------|------------------------|
| ■ FACTORY AREA                       | 10.600 ft <sup>2</sup> |
| ■ CNC AUTOMATIC LATHE                | 6 SETS                 |
| ■ SEMIAUTOMATIC LATHE                | 12 SETS                |
| ■ HAND LATHE                         | 8 SETS                 |
| ■ PRESS                              | 8 SETS                 |
| ■ MILLING MACHINE                    | 3 SETS                 |
| ■ PLASTIC INJECTION MACHINE          | 2 SETS                 |
| ■ EXTERNAL/INTERNAL GRINDING MACHINE | 1 SET                  |
| ■ DRILLING MACHINE                   | 8 SETS                 |
| ■ AUTOMATIC TAPPING MACHINE          | 6 SETS                 |
| ■ KNURLING MACHINE                   | 8 SETS                 |
| ■ HAIR LINE FINISHING MACHINE        | 4 SETS                 |
| ■ BLASTING EQUIPMENT                 | 1 EA                   |
| ■ ANODIZING EQUIPMENT                | 1 EA                   |
| ■ SCREW AIR-COMPRESSOR               | 1 EA                   |



**CHIA SHIN KNOBS CO., LTD.**

ESTABLISHED IN 1976

351, Yungho Road, Chungho City, Taipei Hsien, Taiwan, R.O.C.

Tel: (02) 2254216/7, 2250953 Fax: 886-2-2227312


查询"25T-2D"供应商

MACHINED SOLID ALUMINUM KNOBS WITH SCREW

| MODEL NO | SIZE | FINISH    | COLOR   | SHAFT HOLE | MODEL NO | SIZE | FINISH    | COLOR    | SHAFT HOLE |
|----------|------|-----------|---------|------------|----------|------|-----------|----------|------------|
| CS-01    | 45 Ø | HAIRLINE  | BLACK   | 6.0        | CS-26    | 22 Ø | SANDBLAST | NATURAL  | 6.4        |
| CS-02    | 38 Ø | SANDBLAST | BLACK   | 6.4        | CS-27    | 20 Ø | SPUN      | BLACK    | 6.4        |
| CS-03    | 32 Ø | SANDBLAST | BLACK   | 6.4        | CS-28    | 25 Ø | SANDBLAST | BLACK    | 6.4        |
| CS-04    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-29    | 25 Ø | SPUN      | BLACK    | 3.2        |
| CS-05    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-30    | 25 Ø | SPUN      | BLACK    | 6.4        |
| CS-06    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-31    | 25 Ø | SPUN      | BLACK    | 6.4        |
| CS-07    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-32    | 25 Ø | SPUN      | BLACK    | 6.4        |
| CS-08    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-33    | 25 Ø | SPUN      | BLACK    | 6.4        |
| CS-09    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-34    | 22 Ø | SPUN      | NATURAL  | 6.4        |
| CS-10    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-35    | 21 Ø | SPUN      | NATURAL  | 6.4        |
| CS-11    | 32 Ø | SPUN      | BLACK   | 6.4        | CS-36    | 20 Ø | SPUN      | NATURAL  | 6.4        |
| CS-12    | 24 Ø | SPUN      | BLACK   | 6.4        | CS-37    | 19 Ø | SPUN      | BLACK    | 6.4        |
| CS-13    | 22 Ø | SPUN      | BLACK   | 6.4        | CS-38    | 19 Ø | SPUN      | BLACK    | 6.4        |
| CS-14    | 38 Ø | SANDBLAST | BLACK   | 6.4        | CS-39    | 19 Ø | SPUN      | BLACK    | 6.4        |
| CS-15    | 25 Ø | SANDBLAST | NATURAL | 6.4        | CS-40    | 20 Ø | NATURAL   | BLACK    | 6.4        |
| CS-16    | 22 Ø | SANDBLAST | GOLD    | 6.4        | CS-41    | 20 Ø | SPUN      | BLACK    | 6.4        |
| CS-17    | 19 Ø | SANDBLAST | NATURAL | 6.4        | CS-42    | 16 Ø | HAIRLINE  | BLACK    | 6.0        |
| CS-18    | 19 Ø | SANDBLAST | BLACK   | 3.2        | CS-43    | 19 Ø | SPUN      | TWO-TONE | 3.2        |
| CS-19    | 15 Ø | SANDBLAST | BLACK   | 3.2        | CS-44    | 6.0F | SPUN      | NATURAL  | 6.0        |
| CS-20    | 25 Ø | SPUN      | NATURAL | 6.4        | CS-45    | 15 Ø | SPUN      | NATURAL  | 6.4        |
| CS-21    | 29 Ø | HAIRLINE  | NATURAL | 6.4        | CS-46    | 16 Ø | SPUN      | NATURAL  | 3.2        |
| CS-22    | 28 Ø | SPUN      | NATURAL | 6.4        | CS-47    | 15 Ø | SPUN      | GOLD     | 3.2        |
| CS-23    | 28 Ø | SPUN      | NATURAL | 6.4        | CS-48    | 13 Ø | SPUN      | NATURAL  | 3.2        |
| CS-24    | 28 Ø | SPUN      | NATURAL | 6.0        | CS-49    | 12 Ø | SPUN      | BLACK    | 3.2        |
| CS-25    | 29 Ø | SPUN      | NATURAL | 6.4        | CS-50    | 12 Ø | SPUN      | BLACK    | 6.4        |



CHIA SHIN KNOBS CO., LTD.

351, YUNCHO ROAD, CHUNGHO CITY,  
TAIPEI HSIEN, TAIWAN, R.O.C.

[查询"25T-2D"供应商](#)

## MACHINED SOLID ALUMINUM KNOBS WITH SCREW

| MODEL NO | SIZE | FINISH    | COLOR    | SHAFT HOLE | MODEL NO | SIZE | FINISH | COLOR | SHAFT HOLE |
|----------|------|-----------|----------|------------|----------|------|--------|-------|------------|
| CS-51    | 12 Ø | SPUN      | TWO TONE | 6.0        |          |      |        |       |            |
| CS-52    | 16 Ø | SPUN      | BLACK    | 6.0        |          |      |        |       |            |
| CS-53    | 16 Ø | SPUN      | BLACK    | 3.2        |          |      |        |       |            |
| CS-54    | 16 Ø | SPUN      | BLACK    | 3.2        |          |      |        |       |            |
| CS-55    | 13 Ø | SPUN      | BLACK    | 3.2        |          |      |        |       |            |
| CS-56    | 12 Ø | SANDBLAST | BLACK    | 6.0        |          |      |        |       |            |
| CS-57    | 13 Ø | SPUN      | BLACK    | 3.2        |          |      |        |       |            |
| CS-58    | 12 Ø | SPUN      | BLACK    | 3.2        |          |      |        |       |            |
| CS-59    | 13 Ø | SPUN      | BLACK    | 3.2        |          |      |        |       |            |
| CS-60    | 10 Ø | SANDBLAST | BLACK    | 6.0        |          |      |        |       |            |
| CS-61    | 12 Ø | SPUN      | BLACK    | 6.0        |          |      |        |       |            |
|          |      |           |          |            |          |      |        |       |            |
|          |      |           |          |            |          |      |        |       |            |

1. MATERIAL: 6063 ALUMINUM ALLOY ROD, OR 997 PURE ALUMINUM ROD.
2. SHAFT HOLE SIZE: ① 6.4MM ② 6.0MM ③ 3.2MM ④ 4.8MM
3. NUMBER OF CARBON STEEL LINEAR HEX SOCKET HEAD SET SCREW:
  - 1. 1 PLACE, OR 2 PLACES.
  - 2. METRIC, SLOTTED HEAD SCREWS ARE AVAILABLE IF SPECIFIED.

\*\* ALL ABOVE SPECIFICATIONS ARE CHANGEABLE, WE CAN MAKE ANY SIZE TO YOUR SPECIAL NEEDS.\*\*



[查询"25T-2D"供应商](#) ALUMINUM SHELL KNOBS WITH PLASTIC INSERT

| MODEL NO | SIZE | FINISH    | COLOR     | SHAFT HOLE | MODEL NO | SIZE | FINISH    | COLOR    | SHAFT HOLE |
|----------|------|-----------|-----------|------------|----------|------|-----------|----------|------------|
| CC-01    | 45   | SPUN      | NATURAL   | T          | CC-29    | 20   | SPUN      | TWO TONE | T          |
| CC-02    | 40   | HAIRLINE  | NATURAL   | T          | CC-30    | 20   | SANDBLAST | TWO TONE | T          |
| CC-03    | 40   | SANDBLAST | CHAMPAGNE | T          | CC-31    | 34   | SANDBLAST | NATURAL  |            |
| CC-04    | 40   | SPUN      | NATURAL   | T          | CC-32    | 28   | SPUN      | NATURAL  | T          |
| CC-05    | 40   | SPUN      | NATURAL   | T          | CC-33    | 25   | SANDBLAST | NATURAL  | T          |
| CC-06    | 45   | SPUN      | TWO TONE  | T          | CC-34    | 25   | HAIRLINE  | NATURAL  | T          |
| CC-07    | 45   | SPUN      | BLACK     | T          | CC-35    | 24   | HAIRLINE  | GOLD     | T          |
| CC-08    | 40   | SANDBLAST | BLACK     | T          | CC-36    | 25   | HAIRLINE  | GOLD     | T          |
| CC-09    | 38   | SPUN      | BLACK     | T          | CC-37    | 20   | SANDBLAST | GOLD     | T          |
| CC-10    | 40   | HAIRLINE  | BLACK     | T          | CC-38    | 22   | SPUN      | NATURAL  | T          |
| CC-11    | 40   | HAIRLINE  | BLACK     | T          | CC-39    | 20   | SPUN      | NATURAL  | T          |
| CC-12    | 40   | SPUN      | BLACK     | T          | CC-40    | 22   | SPUN      | BLACK    | T          |
| CC-13    | 40   | SANDBLAST | BLACK     | T          | CC-41    | 22   | HAIRLINE  | BLACK    | T          |
| CC-14    | 40   | SPUN      | BLACK     | T          | CC-42    | 22   | SANDBLAST | BLACK    | T          |
| CC-15    | 39   | HAIRLINE  | BLACK     | T          | CC-43    | 22   | HAIRLINE  | BLACK    | T          |
| CC-16    | 40   | SPUN      | BLACK     | T          | CC-44    | 22   | SANDBLAST | BLACK    | T          |
| CC-17    | 40   | SANDBLAST | BLACK     | T          | CC-45    | 22   | SANDBLAST | BLACK    | T          |
| CC-18    | 35   | SANDBLAST | BLACK     | T          | CC-46    | 20   | HAIRLINE  | BLACK    | T          |
| CC-19    | 25   | HAIRLINE  | BLACK     | T          | CC-47    | 19   | HAIRLINE  | BLACK    | T          |
| CC-20    | 29   | SPUN      | TWO TONE  | T          | CC-48    | 19   | SPUN      | BLACK    | T          |
| CC-21    | 30   | SPUN      | BLACK     | T          | CC-49    | 20   | HAIRLINE  | BLACK    | T          |
| CC-22    | 30   | SPUN      | BLACK     | T          | CC-50    | 20   | SANDBLAST | BLACK    | T          |
| CC-23    | 35   | SPUN      | BLACK     | T          | CC-51    | 20   | SANDBLAST | BLACK    | T          |
| CC-24    | 31   | SANDBLAST | BLACK     | T          | CC-52    | 18   | SPUN      | BLACK    | T          |
| CC-25    | 25   | SPUN      | TWO TONE  | T          | CC-53    | 17   | SPUN      | BLACK    | T          |
| CC-26    | 18   | SANDBLAST | BLACK     | T          | CC-54    | 19   | SPUN      | BLACK    | T          |
| CC-27    | 20   | SANDBLAST | BLACK     | T          | CC-55    | 18   | SPUN      | BLACK    | T          |
| CC-28    | 20   | SPUN      | BLACK     | T          | CC-56    | 17   | SANDBLAST | BLACK    | T          |

查询"25T-2D"供应商

## ALUMINUM SHELL KNOBS WITH PLASTIC INSERT

| MODEL NO | SIZE | FINISH    | COLOR   | SHAFT HOLE | MODEL NO | SIZE | FINISH    | COLOR   | SHAFT HOLE |
|----------|------|-----------|---------|------------|----------|------|-----------|---------|------------|
| CC-57    |      | SANDBLAST | BLACK   | T          | CC-76    | 11   | SPUN      | BLACK   | T          |
| CC-58    | 16   | SANDBLAST | BLACK   | T          | CC-77    | 12   | SPUN      | BLACK   | T          |
| CC-59    | 16   | SANDBLAST | BLACK   | T          | CC-78    | 11   | SPUN      | BLACK   | T          |
| CC-60    | 16   | SANDBLAST | BLACK   | T          | CC-79    | 9    | SPUN      | BLACK   | T          |
| CC-61    | 17   | SPUN      | BLACK   | T          | CC-80    | 10.5 | SPUN      | BLACK   | S          |
| CC-62    | 15   | SPUN      | BLACK   | T          | CC-81    | 10   | SPUN      | GOLD    | S          |
| CC-63    | 15   | SANDBLAST | BLACK   | T          | CC-82    | 11   | SPUN      | BLACK   | S          |
| CC-64    | 15   | SANDBLAST | BLACK   | T          | CC-83    | 10.5 | SANDBLAST | BLACK   | T          |
| CC-65    | 15   | SANDBLAST | BLACK   | T          | CC-84    | 10   | SANDBLAST | BLACK   | T / S      |
| CC-66    | 15   | HAIRLINE  | BLACK   | T          | CC-85    | 5X20 | SANDBLAST | BLACK   | S          |
| CC-67    | 13   | SANDBLAST | BLACK   | T          | CC-86    | 6X16 | SANDBLAST | BLACK   | S          |
| CC-68    | 15   | SANDBLAST | NATURAL | T          | CC-87    | 6X14 | SANDBLAST | BLACK   | S          |
| CC-69    | 15   | SPUN      | GOLD    | T          | CC-88    | 6X16 | HAIRLINE  | BLACK   | F          |
| CC-70    | 15   | SANDBLAST | GOLD    | T          | CC-89    | 6x12 | HAIRLINE  | GOLD    | F          |
| CC-71    | 14   | SPUN      | GOLS    | T          | CC-90    | 6X12 | HAIRLINE  | BLACK   | F          |
| CC-72    | 12   | SPUN      | NATURAL | T          | CC-91    | 6X9  | SANDBLAST | BLACK   | S          |
| CC-73    | 13   | SANDBLAST | NATURAL | T          | CC-92    | 6X12 | SANDBLAST | NATURAL | F          |
| CC-74    | 12   | SPUN      | GOLD    | T          | CC-93    | 5X9  | HAIRLINE  | BLACK   |            |
| CC-75    | 11   | SPUN      | BLACK   | T          |          |      |           |         |            |



- SHAFT HOLE SHAPE:  
T: FOR 18/36 TOOTH KNURLED SHAFT (6MM DIA.)  
D: FOR "D" TYPE SHAFT (6MM DIA.)  
S: FOR SQUARE TYPE SHAFT.  
C: FOR FLAT TYPE SHAFT.  
F: FOR FLAT TYPE SHAFT.  
\* SHAFT T AND D ARE ROTARY KNOBS;  
\* SHAFT S AND C AND F ARE PUSH BUTTON OR LEVEL KNOBS.
- EVERY MODEL NUMBER HAS SEVERAL SETS OF DIMENTION C & D FOR CHOICE. YOU CAN ASK FOR YOUR DIMENTIONS.

\*\* IF YOU WANT TO CHANGE DIMENTIONS OF A MODEL. PLEASE SPECIFY THEM BEHIND ORDER NUMBER.

\*\* ALL ABOVE SPECIFICATIONS ARE CHANGEABLE, WE CAN MAKE ANY SIZE TO YOUR SPECIAL NEED. \*\*

BAKELITE KNOBS & ABS PLASTIC KNOBS



查询"25T-2D"供应商

| MODEL NO | SIZE | MATERIAL     | SHAFT TYPE | SHAFT HOLE | MODEL NO | SIZE  | MATERIAL         | SHAFT TYPE | SHAFT HOLE |
|----------|------|--------------|------------|------------|----------|-------|------------------|------------|------------|
| CF-X1    | 45   | BAKELITE     | S & T      | 6.4        | CP-MB-3  | 13.2  | ABS (BLUE)       | T          | 6.0        |
| CF-X2    | 33   | BAKELITE     | S & T      | 6.4        | CP-MB-4  | 13.2  | ABS (GREEN)      | T          | 6.0        |
| CF-W1    | 33.4 | BAKELITE     | S & T      | 6.4        | CP-MB-5  | 13.2  | ABS (GRAY)       | T          | 6.0        |
| CF-X3    | 27   | BAKELITE     | S & T      | 6.4        | CP-11-3  | 18    | BLUE ABS         | T          | 6.0        |
| CF-Y1    | 27   | BAKELITE     | S & T      | 6.4        | CP-NB-1  | 14.5  | BAKELITE (RED)   | S          | 6.4        |
| CF-T1    | 32   | BAKELITE     | S & T      | 6.4        | CP-NB-2  | 14.5  | BAKELITE (Y)     | S          | 6.4        |
| CF-P1    | 32   | BAKELITE     | S & T      | 6.4        | CP-NB-3  | 14.5  | BAKELITE (BLUE)  | S          | 6.4        |
| CF-W2    | 24.2 | BAKELITE     | S & T      | 6.4        | CP-NB-4  | 14.5  | BAKELITE (GREEN) | S          | 6.4        |
| CF-W3    | 19   | BAKELITE     | S & T      | 6.4        | CP-E1    | 15.4  | ABS              | T          | 6.0        |
| CF-Z1    | 20.5 | BAKELITE     | S & T      | 6.4        | CP-E2-5  | 10.8  | GRAY ABS         | T          | 6.0        |
| CF-X4-1  | 19.6 | BAKELITE     | S & T      | 6.4        | CP-E2    | 10.8  | BLACK ABS        | T          | 6.0        |
| CF-X4-2  | 19.6 | BAKELITE     | S & T      | 6.4        | CP-F1-5  | 9.5   | GRAY ABS         | T          | 6.0        |
| CF-X4-3  | 19.6 | BAKELITE     | S & T      | 6.4        | CP-G1-5  | 8.0   | GRAY ABS         | PUSH       | 3.3X3.3    |
| CF-X4-4  | 19.6 | BAKELITE     | S & T      | 6.4        | CP-LB-1  | 16    | ABS (RED)        | T          | 6.0        |
| CP-H1    | 45   | ABS          | T          | 6.0        | CP-LB-2  | 16    | ABS (YELLOW)     | T          | 6.0        |
| CP-B1    | 40   | ABS          | T          | 6.0        | CP-LB-3  | 16    | ABS (BLUE)       | T          | 6.0        |
| CP-B2    | 18   | ABS          | T          | 6.0        | CP-LB-4  | 16    | ABS (GREEN)      | T          | 6.0        |
| CP-HB-1  | 17   | ABS (RED)    | T          | 6.0        | CP-LB-5  | 16    | ABS (GRAY)       | T          | 6.0        |
| CP-HB-2  | 17   | ABS (YELLOW) | T          | 6.0        | CP-S2    | 16.5  | ABS              | T/D        | 6.0        |
| CP-HB-3  | 17   | ABS (BLUE)   | T          | 6.0        | CP-S1    | 14    | ABS              | T/D        | 6.0        |
| CP-HB-4  | 17   | ABS (GREEN)  | T          | 6.0        | CP-L1-1  | 24X15 | ABS (RED)        | SLIDE      | 8X1.9      |
| CP-HB-5  | 17   | ABS (GRAY)   | T          | 6.0        | CP-L1-5  | 24X15 | ABS (GRAY)       | SLIDE      | 8X1.9      |
| CP-A1    | 25   | ABS          | T          | 6.0        | CP-L2    | 20X17 | ABS              | SLIDE      | 4X1.2      |
| CP-A2    | 19   | ABS          | T          | 6.0        | CP-L3    | 14X11 | ABS              | SLIDE      | 4X1.2      |
| CP-A0    | 19   | ABS          | T          | 6.0        | CP-L4    | 10X11 | ABS              | SLIDE      | 4X1.2      |
| CP-12    | 15.6 | BAKELITE     | S & T      | 6.4        | CP-L5    | 13X6  | ABS              | PUSH       | 3X3.5      |
| CP-MB-1  | 13.2 | ABS (RED)    | T          | 6.0        | CP-L6    | 13X7  | ABS              | SLIDE      | 4X1.2      |
| CP-MB-2  | 13.2 | ABS (YELLOW) | T          | 6.0        | CP-L7    | 9X6   | ABS              | PUSH       | 3X3        |

1. SHAFT HOLE TYPE :  
 S: FOR SCREW. 6.4MM, 6.0MM  
 T: FOR 18/36 TOOTH KNURLED SHAFT (6MM DIA.)  
 D: FOR "D" TYPE SHAFT (6MM DIA.)

\*\* ALL ABOVE SPECIFICATIONS ARE CHANGEABLE. WE CAN MAKE ANY SIZE TO YOUR SPECIAL NEEDS.\*\*

查询"CS-2D"供应商





CONTROL KNOB  
WITH SAWCUT  
INDICATOR

1/8" SHAFT = .126" (3.20)  
1/4" SHAFT = .251" (6.35)

CS-17 TYPE:

| A           | B           | C           | DIAMETER DIMENSIONS |             | F           | G           |
|-------------|-------------|-------------|---------------------|-------------|-------------|-------------|
|             |             |             | D                   | E           |             |             |
| .500 (12.7) | .200 (5.08) | .370 (9.40) |                     | .120 (3.05) | .330 (8.38) | .750 (19.0) |
| .620 (15.8) | .200 (5.08) | .390 (9.90) |                     | .120 (3.05) | .330 (8.38) | .750 (19.0) |
| .750 (19.0) | .200 (5.08) | .510 (13.0) |                     | .120 (3.05) | .330 (8.38) | .900 (22.9) |
| .940 (23.9) | .200 (5.08) | .710 (18.0) |                     | .120 (3.05) | .330 (8.38) | .900 (22.9) |

COLOR: NATURAL AND BLACK D: 1/8" SHAFT (3.2MM) OR 1/4" SHAFT (6.35MM)






STRAIGHT KNURL  
WITH TOP AND SIDE  
INDICATOR

1/8" SHAFT = .126" (3.20)  
1/4" SHAFT = .251" (6.35)

CS-37 TYPE:




| A           | B           | C           | DIAMETER DIMENSIONS |             | F           | G           |
|-------------|-------------|-------------|---------------------|-------------|-------------|-------------|
|             |             |             | D                   | E           |             |             |
| .500 (12.7) | .450 (11.4) | .380 (9.65) | .280 (7.11)         | .630 (16.0) | .510 (13.0) | .530 (13.5) |
| .750 (19.0) | .700 (17.8) | .590 (14.9) | .280 (7.11)         | .630 (16.0) | .510 (13.0) | .530 (13.5) |
| .940 (23.9) | .880 (22.3) | .710 (18.0) | .280 (7.11)         | .630 (16.0) | .510 (13.0) | .530 (13.5) |
| 1.25 (31.7) | 1.20 (30.5) | .980 (24.9) | .280 (7.11)         | .630 (16.0) | .510 (13.0) | .530 (13.5) |

查询"25T-2D"供应商



CS-10, CS-13 TYPE:




| A           | B            | C           | DIAMETER DIMENSIONS |             | F           | G           |
|-------------|--------------|-------------|---------------------|-------------|-------------|-------------|
|             |              |             | D                   | E           |             |             |
| .500 (12.7) | .450 (11.43) | .380 (9.65) | .750 (19.0)         | .630 (16.0) | .510 (13.0) | .430 (10.9) |
| .750 (19.0) | .700 (17.8)  | .590 (15.0) | 1.13 (28.3)         | .630 (16.0) | .510 (13.0) | .430 (10.9) |



STRAIGHT KNURL  
WITH LINE INDICATOR  
ON SKIRT

CS-54 TYPE:

| A           | B           | C           | DIAMETER DIMENSIONS |             | F           | G           |
|-------------|-------------|-------------|---------------------|-------------|-------------|-------------|
|             |             |             | D                   | E           |             |             |
| .380 (9.65) | .280 (7.11) | .210 (5.33) | .500 (12.7)         | .130 (3.30) | .470 (11.9) | .590 (15.0) |
| .500 (12.7) | .380 (9.65) | .250 (6.35) | .630 (16.0)         | .160 (4.06) | .470 (11.9) | .630 (16.0) |
| .620 (15.8) | .380 (9.65) | .380 (9.65) | 1.00 (25.4)         | .160 (4.06) | .630 (16.0) | .810 (20.6) |



CONTROL KNOB  
WITH STRAIGHT KNURL  
AND TOP LINE INDICATOR

CS-30 TYPE:

| A | B | C | DIAMETER DIMENSIONS |   | F | G |
|---|---|---|---------------------|---|---|---|
|   |   |   | D                   | E |   |   |