


查询"HDA351-LVH"供应商

HDA351-LVH (High Brightness)

Dimensional Drawing

3.5", QVGA (TFT) Color Graphics , Landscape , White LED Backlight



Features

Viewing Angle(L/R/UP/DWN).....70/70/55/70 degrees
 High Contrast.....450:1
 Fast Response Time.....50 msec
 Built-in Controller.....none
 Touch Screen.....none
 High Brightness.....800 cd/m²

Physical Data

Module Size.....76.9W x63.9H x3.3T mm
 Active Area Size.....70.08W x52.56 H mm
 Dot Pitch.....0.073W x 0.219H mm
 Weight.....32.5g


Electrical Characteristics (VDD=3.3±0.125V 25°C)

PARAMETER	SYM	CONDITION	MIN	TYP	MAX	UNIT
OPERATING VOLTAGE	V _{CC}	-	2.5	3.3	3.6	V
OPERATING VOLTAGE	V _{LED}	-	-	16.5	-	V
INPUT HIGH VOLTAGE	V _{IH}	-	0.8*V _{DD}	-	V _{DD}	V
INPUT LOW VOLTAGE	V _{IL}	-	0	-	0.2*V _{DD}	V
OPERATING CURRENT	I _{CC}	V _{CC} = 3.3 V	-	15.6	22.0	mA
OPERATING CURRENT LED	I _{LED}	-	-	40	-	mA
POWER CONSUMPTION	P _D	-	-	707	-	mW
BRIGHTNESS	L	Average	700	800	-	Cd/m ²

Pin Connections

PIN NO.	SYMBOL	FUNCTION
1	LED-K	Backlight LED (-)
2	LED-K	Backlight LED (-)
3	LED-A	Backlight LED (+)
4	LED-A	Backlight LED (+)
5	NC	No Connection
6	NC	No Connection
7	POL	Test Pin , No Connection
8	RESET	Reset Input
9	NC	No Connection
10	NC	No Connection
11	NC	No Connection
12-19	D20-D27	H/L Blue Data Inputs
20-27	D10-D17	H/L Green Data Inputs
28-35	D00-D07	H/L Red Data Inputs
36	HSYNC	Horizontal Sync Input
37	VSNC	Vertical Sync Input
38	DOTCLK	Data Clock Input
39	NC	No Connection
40	NC	No Connection
41	VCC	Power (+3.3V)
42	VCC	Power (+3.3V)
43	NC	No Connection
44	NC	No Connection
45	NC	No Connection
46	NC	No Connection
47	NC	No Connection
48	NC	No Connection
49	NC	No Connection
50	NC	No Connection
51	NC	No Connection
52	NC	No Connection
53	GND	Ground Pin
54	GND	Ground Pin

Power Supply



Absolute Maximum Ratings


PARAMETER	SYMBOL	MIN	MAX	UNIT
SUPPLY VOLTAGE	V _{CC}	-0.3	5.0	V
BACKLIGHT CURRENT(White LED)	I _{LED}	-	50	mA
INPUT VOLTAGE	V _{IN}	-0.3	V _{DD} + 0.3	V
OPERATING TEMPERATURE	T _{OP}	-20	+70	°C
STORAGE TEMPERATURE	T _{STG}	-30	+80	°C

HANTRONIX

HDA351-LVH

Dimensional Drawing

3.5", QVGA (TFT) Color Graphics , Landscape , White LED Backlight




HDA351T-LVH

Dimensional Drawing

3.5", QVGA (TFT), With Touch Screen, Landscape, White LED Backlight

With TOUCH SCREEN

RECOMMENDED CONNECTOR : MOLEX 0541324062



This datasheet has been downloaded from:

www.EEworld.com.cn

Free Download

Daily Updated Database

100% Free Datasheet Search Site

100% Free IC Replacement Search Site

Convenient Electronic Dictionary

Fast Search System

www.EEworld.com.cn